Author Index to Volume 57

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (L) are to Letters to the Editor and those with (T) designate title only.

Abelson, Philip H. (see McMillan, Edwin)—1185(L)

Ageno, M., G. Bernardini, N. B. Cacciapuoti, B. Ferretti and G. C. Wick. Anomalous absorption of the hard component of cosmic rays in air—945

Albers, V. M. and H. V. Knorr. Absorption spectra of $\alpha, \beta, \gamma, \delta$-tetraphenylporphine and a series of its metal complex salts—346(A)

——— (see Knorr, H. V.)—347(A)

Albertson, W. E. and G. R. Harrison. Analysis of singly ionized cerium—1073(A)

———, **Hendrick Bruynes and Richard Hanau.** Normal electron configuration of singly ionized gadolinium—292

Allen, A. J. and R. G. Franklin. Constant current network for supplying power to a cyclotron oscillator—347(A)

Allison, Samuel K. Ion source of the low voltage capillary arc type—71(A)

———, **Elizabeth R. Graves and Lester S. Skaggs.** Alpha-particle groups from the disintegration of beryllium by deuterons—158(L)

———, **Lester S. Skaggs and Nicholas M. Smith, Jr.** Corrections to electrostatic analyzer measurements—550(L)

Almy, G. M. and Scott Anderson. Lifetime of excited diacetyl molecule—1077(A)

Alvarez, Luis W. and F. Bloch. Magnetic moment of the neutron—352(A)

——— **and F. Bloch.** Quantitative determination of the neutron moment in absolute nuclear magnetons—111

——— **and R. Cornog.** Radioactive hydrogen—248(A)

———, **A. C. Helmholz and Eldred Nelson.** Isomeric silver and the Weizsäcker theory—660(L)

Amaki, Toshio, Takeo Iimori and Asao Sugimoto. Radio-isotopes of chromium—751(L)

Anderson, C. D. (see Boggild, J. K.)—356(A)

Anderson, Herbert L. Resonance capture of neutrons by uranium—566(A)

Anderson, Paul A. Contact difference of potential between barium and zinc. External work function of zinc—122

Anderson, Scott (see Almy, G. M.)—1077(A)

Anderson, Wilmer C. Velocity of light measurements—1060(A)

Arakawa, H. (see Nishina, Y.)—663(L), 1050(L)

Armistead, F. C. and J. W. Beams. Concentration of chlorine isotopes by centrifuging at dry ice temperature—359(A)

Aronin, L. R. (see Hill, A. G.)—1090(A)

Austin, J. B., H. Saini, J. Weigle and R. H. H. Pierce, Jr. Direct comparison on a crystal of calcite of the x-ray and optical interferometer methods of determining linear thermal expansion. Evidence of differences among calcite crystals—931

Bacher, R. F. Elastic scattering of fast neutrons—352(A)

——— (see Baker, C. P.)—351(A), 1076(A)

Bacon, R. H., E. N. Grisewood and C. W. van der Merwe. Erratum: Radioactivity of Mn^{56}—240(L)

Bailey, David. Capacity operated relay—1053(T)

Baker, C. P. and R. F. Bacher. Experiments with mono-energetic slow neutrons—351(A)

——— **and R. F. Bacher.** Further experiments with mono-energetic slow neutrons—1076(A)

Baker, Dale. Vacuum-tube voltmeter with an electrical eye—1053(T)

Baker, W. R. (see Waithman, V. B.)—252(A)

Ballard, Stanley S. (see Nelson, Martin E.)—253(A)

——— **and L. A. Dean.** Radio-phosphorus in soil studies—355(A)

Baltzer, O. J. and J. E. Nafe. Photographic reversal with x-rays—1048(L)

Banks, Floyd R. and Harry Day. Measurement of self-diffusion in metallic zinc—1067(A)

Bardeen, J. Concentration of isotopes by thermal diffusion: Rate of approach to equilibrium—35, 359(A)

——— Van der Waals energies—1066(A)

Barkas, W. H., E. C. Creutz, L. A. Delsasso and R. A. Sutton. Processes induced in the nuclei of iodine and bromine by high energy protons—1087(A)

———, **E. C. Creutz, L. A. Delsasso, J. G. Fox and M. G. White.** Carbon isotopes of mass ten and eleven—562(A)

Barnóthy, J. and M. Forró. Erratum: Cosmic-ray particles of great depth—552(L)

Barr, E. S. Device for the preparation of thin absorption cells—941(A)

Barry, J. Griffiths (see Johnson, Thomas H.)—245(L), 1047(L), 1062(A)

——— **and T. H. Johnson.** Contribution of showers to the coincidences recorded at high elevations—555(A)

Barschall, H. H. (see Kanner, M. H.)—372, 566(A)

Bartberger, C. L. Variational treatment of the C−H bond in methane—1079(A)

Bartlett, James H., Jr. Theory of multiple scattering of electrons—843(L)

——— **and T. A. Welton.** Effect of shielding on the scattering of fast electrons by heavy elements—1063(A)

Bateman, J. B. and G. Potapenko. Anomalous dispersion and absorption of electric waves in solutions of amino-acids and dipeptides—1185(L)

Beams, J. W. Methods of increasing the resolving power of an ultracentrifuge—940(A)

——— (see Armistead, F. C.)—359(A)

——— (see Skarstrom, C.)—1057(A)

——— (see Snoddy, L. B.)—63(L), 350(A)

Bearden, J. A. (see Beeman, W. W.)—1085(A)

——— (see Friedman, H.)—1085(A)

——— (see Snyder, T. M.)—1085(A)

Beardsley, Niel F. Correlation between cosmic-ray intensity and upper air pressures and temperatures—336(L)

Beck, Clifford (see Underwood, Newton)—941(A)

Author Index to Volume 57

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (L) are to Letters to the Editor and those with (T) designate title only.

Abelson, Philip H. (see McMillan, Edwin)—1185(L)

Ageno, M., G. Bernardini, N. B. Cacciapuoti, B. Ferretti and G. C. Wick. Anomalous absorption of the hard component of cosmic rays in air—945

Albers, V. M. and H. V. Knorr. Absorption spectra of $\alpha, \beta, \gamma, \delta$-tetraphenylporphine and a series of its metal complex salts—346(A)

——— (see Knorr, H. V.)—347(A)

Albertson, W. E. and G. R. Harrison. Analysis of singly ionized cerium—1073(A)

———, **Hendrick Bruynes and Richard Hanau.** Normal electron configuration of singly ionized gadolinium—292

Allen, A. J. and R. G. Franklin. Constant current network for supplying power to a cyclotron oscillator—347(A)

Allison, Samuel K. Ion source of the low voltage capillary arc type—71(A)

———, **Elizabeth R. Graves and Lester S. Skaggs.** Alpha-particle groups from the disintegration of beryllium by deuterons—158(L)

———, **Lester S. Skaggs and Nicholas M. Smith, Jr.** Corrections to electrostatic analyzer measurements—550(L)

Almy, G. M. and Scott Anderson. Lifetime of excited diacetyl molecule—1077(A)

Alvarez, Luis W. and F. Bloch. Magnetic moment of the neutron—352(A)

——— **and F. Bloch.** Quantitative determination of the neutron moment in absolute nuclear magnetons—111

——— **and R. Cornog.** Radioactive hydrogen—248(A)

———, **A. C. Helmholz and Eldred Nelson.** Isomeric silver and the Weizsäcker theory—660(L)

Amaki, Toshio, Takeo Iimori and Asao Sugimoto. Radio-isotopes of chromium—751(L)

Anderson, C. D. (see Boggild, J. K.)—356(A)

Anderson, Herbert L. Resonance capture of neutrons by uranium—566(A)

Anderson, Paul A. Contact difference of potential between barium and zinc. External work function of zinc—122

Anderson, Scott (see Almy, G. M.)—1077(A)

Anderson, Wilmer C. Velocity of light measurements—1060(A)

Arakawa, H. (see Nishina, Y.)—663(L), 1050(L)

Armistead, F. C. and J. W. Beams. Concentration of chlorine isotopes by centrifuging at dry ice temperature—359(A)

Aronin, L. R. (see Hill, A. G.)—1090(A)

Austin, J. B., H. Saini, J. Weigle and R. H. H. Pierce, Jr. Direct comparison on a crystal of calcite of the x-ray and optical interferometer methods of determining linear thermal expansion. Evidence of differences among calcite crystals—931

Bacher, R. F. Elastic scattering of fast neutrons—352(A)

——— (see Baker, C. P.)—351(A), 1076(A)

Bacon, R. H., E. N. Grisewood and C. W. van der Merwe. Erratum: Radioactivity of Mn^{56}—240(L)

Bailey, David. Capacity operated relay—1053(T)

Baker, C. P. and R. F. Bacher. Experiments with mono-energetic slow neutrons—351(A)

——— **and R. F. Bacher.** Further experiments with mono-energetic slow neutrons—1076(A)

Baker, Dale. Vacuum-tube voltmeter with an electrical eye—1053(T)

Baker, W. R. (see Waithman, V. B.)—252(A)

Ballard, Stanley S. (see Nelson, Martin E.)—253(A)

——— **and L. A. Dean.** Radio-phosphorus in soil studies—355(A)

Baltzer, O. J. and J. E. Nafe. Photographic reversal with x-rays—1048(L)

Banks, Floyd R. and Harry Day. Measurement of self-diffusion in metallic zinc—1067(A)

Bardeen, J. Concentration of isotopes by thermal diffusion: Rate of approach to equilibrium—35, 359(A)

——— Van der Waals energies—1066(A)

Barkas, W. H., E. C. Creutz, L. A. Delsasso and R. A. Sutton. Processes induced in the nuclei of iodine and bromine by high energy protons—1087(A)

———, **E. C. Creutz, L. A. Delsasso, J. G. Fox and M. G. White.** Carbon isotopes of mass ten and eleven—562(A)

Barnóthy, J. and M. Forró. Erratum: Cosmic-ray particles of great depth—552(L)

Barr, E. S. Device for the preparation of thin absorption cells—941(A)

Barry, J. Griffiths (see Johnson, Thomas H.)—245(L), 1047(L), 1062(A)

——— **and T. H. Johnson.** Contribution of showers to the coincidences recorded at high elevations—555(A)

Barschall, H. H. (see Kanner, M. H.)—372, 566(A)

Bartberger, C. L. Variational treatment of the C−H bond in methane—1079(A)

Bartlett, James H., Jr. Theory of multiple scattering of electrons—843(L)

——— **and T. A. Welton.** Effect of shielding on the scattering of fast electrons by heavy elements—1063(A)

Bateman, J. B. and G. Potapenko. Anomalous dispersion and absorption of electric waves in solutions of amino-acids and dipeptides—1185(L)

Beams, J. W. Methods of increasing the resolving power of an ultracentrifuge—940(A)

——— (see Armistead, F. C.)—359(A)

——— (see Skarstrom, C.)—1057(A)

——— (see Snoddy, L. B.)—63(L), 350(A)

Bearden, J. A. (see Beeman, W. W.)—1085(A)

——— (see Friedman, H.)—1085(A)

——— (see Snyder, T. M.)—1085(A)

Beardsley, Niel F. Correlation between cosmic-ray intensity and upper air pressures and temperatures—336(L)

Beck, Clifford (see Underwood, Newton)—941(A)

Beckerley, James G. Graphs of hypergeometric functions occurring in continuous hydrogen wave functions—943(A)
Beeck, Otto (see Givens, J. W.)—247(A)
———, **J. W. Givens and A. E. Smith.** On the mechanism of boundary lubrication. Part II. Action of long chain polar compounds—248(A)
Beeman, W. W. (see Friedman, H.)—354(A)
——— **and J. A. Bearden.** *K*-absorption edges and $K\beta_{2,5}$ emission lines of two zinc-nickel alloys—1085(A)
Bell, M. E. (see Berberich, L. J.)—350(A)
Bell, P. R. (see Simon, S. L.)—72(A)
Bennett, W. E. and T. W. Bonner. Emission of γ-rays from the disintegration of carbon by deuterons—1086(A)
Bennett, Willard H. (see Darby, Paul F.)—350(A)
Bentley, Edward P. Electrical memory system for rapid null measurements—1065(A)
Berberich, L. J. and M. E. Bell. Dielectric properties of the rutile crystalline modification of TiO_2—350(A)
Berggren, W. P. Absorption law for total radiation measurements—1183(L)
Bernardini, G. (see Ageno, M.)—945
Berry, H. W. and R. N. Varney. Small fluctuations in the space charged limited electron current from a fine tungsten wire—1063(A)
Bethe, H. A. Continuum theory of the compound nucleus —1125
——— Meson theory of nuclear forces. I. General theory —260; Part II. Theory of the deuteron—390
——— New treatment of the compound nucleus—567(A)
——— On the theory of cascade showers—1062(A)
——— (see Holloway, M. G.)—747(L)
——— (see Marshak, R. E.)—69(A)
——— (see Nordheim, L. W.)—555(A)
——— (see Placzek, G.)—1075(A)
——— **and L. W. Nordheim.** On the theory of meson decay—998
———, **S. A. Korff and G. Placzek.** On the interpretation of neutron measurements in cosmic radiation—573
Beutler, H. Astigmatism, aberration and coma of concave gratings—354(A)
——— Generalized theory of the concave grating—1073(A)
——— (see Metropolis, N.)—355(A), 1078(A)
——— **and Mark Fred.** Automatic barometer pressure compensator for a large grating spectrograph—69(A)
Beyer, Harold G. (see Nix, F. C.)—566(A)
——— **and Martin D. Whitaker.** Interference phenomena in the scattering of slow neutrons—976
Bidwell, C. C. Thermal conductivity of metals—1068(A)
Billings, D. E. (see Pietenpol, W. B.)—357(A)
Birge, Raymond T. Graphical representation of relations between e, m and h—250(A)
Bitter, Francis. Modification of Heisenberg's theory of ferromagnetism—569(A)
——— (see Harrison, George R.)—15
——— (see Kaufmann, A.)—569(A)
——— (see Pan, S. T.)—569(A)
——— (see Starr, C.)—569(A), 1089(A)
Bleakney, Walker (see Cummings, Charles S.)—1072(A)
——— **and Charles S. Cummings.** Simple and rugged mass spectrograph for routine analysis—1072(A)
Bless, A. A. (see Carr, Thomas D.)—940(A)
Blewett, John P. and Simon Ramo. High frequency behavior of a space charge rotating in a magnetic field—635
Bloch, F. (see Alvarez, Luis W.)—111, 352(A)
——— **and A. Siegert.** Magnetic resonance for nonrotating fields—522
Blodgett, Katharine B. Fresnel formulae applied to the phenomena of nonreflecting films—921
Bloom, L. R. (see Tykociner, J. T.)—571(A)
Bloomenthal, S. and I. Deutch. *p*H determinations on sludge of particulate carbonaceous materials and ash discharged in the atmosphere by fuel burning sources—1068(A)
Boggild, J. K., I. C. Kuo, S. H. Neddermeyer and C. D. Anderson. Collision energy loss of low energy cosmic-ray electron—356(A)
Bolt, Richard H. Calculation of acoustic waves with irregular boundaries—1057(A)
Bonner, L. G. and J. S. Kirby-Smith. Raman spectrum of formic acid vapor—1078(A)
Bonner, T. W. (see Bennett, W. E.)—1086(A)
——— **and Emmett Hudspeth.** Anomalous scattering of neutrons by helium—1187(L)
——— **and Emmett Hudspeth.** Resonances in the disintegration of carbon by deuterons—1075(A)
Booker, H. G. and S. L. Seaton. Relation between actual and virtual ionospheric height—87
Booth, E. T. (see Grosse, A. V.)—664(A)
——— (see Kingdon, K. H.)—749(L)
——— (see Nier, Alfred O.)—546(L), 748(L)
Borst, Lyle B. (see Newson, Henry W.)—1083(A)
——— **and William D. Harkins.** Search for a neutron-deuteron reaction—659(L)
Bosch, W. C. and K. D. Coleman. Precision of a photoelectric spectrophotometer in absorption measurements—941(A)
Bound, M. (see Rossi, B.)—1062(A)
Bowen, A. E. Hollow-conductor wave guides—theory and practice—846(T)
Bowman, D. W. (see Green, J. B.)—345(A)
Boyce, J. C. and L. Misch. Line spectra in the vacuum ultraviolet—1073(A)
Boyd, Edward (see Harkins, William D.)—1067(A)
——— **and William D. Harkins.** Changes of state of monolayers on water—1067(A)
Boyd, R. A. and R. A. Sawyer. Hyperfine structure of CsII —1074(A)
Brackett, F. S. (see Cole, P. A.)—1060(A)
——— (see Kuper, J. B. H.)—1059(A)
———, **H. T. Wensel and J. B. H. Kuper.** Quartz double monochromator with single wave-length control—1059(A)
Bradbury, N. E. and W. T. Sumerlin. Night-sky light and nocturnal E layer ionization—249(A)
Bramley, Arthur. Thermal separation of gases and isotopes —359(A)
Branson, Herman (see Podolsky, Boris)—494
Brasefield, Charles J. Absorption spectrum of single-crystal ZnS phosphors—162(L)

Breit, G., C. Kittel and H. M. Thaxton. Note on p-wave anomalies in proton-proton scattering—255
Brickwedde, Langhorne H. and George W. Vinal. Electromotive force of saturated Weston standard cells containing D_2O—1064(A)
Bridgman, P. W. Absolute measurements in the pressure range up to 30,000 kg/cm²—235
——— Compressions to 50,000 kg/cm²—237
——— New high pressures reached with multiple apparatus—342(L)
Bright, William C. (see Whitaker, Martin D.)—551(L), 1076(A)
Brock, J. S. Close electron-electron collisions at energies of one or two Mev.—1063(A)
Brode, Wallace R. Applications of spectroscopy to chemical analysis—1053(T)
Broderick, S. J. Home insulation—939(T)
Brooks, Harvey. Ferromagnetic anisotropy and the itinerant electron model—570(A)
Brown, Frederick L. Discharges through oxygen gas flames—942(A)
Brown, Harrison. Thermal separation ratios calculated from viscosity data—242(L)
Brown, Sanborn C. (see Kip, Arthur F.)—1069(A)
——— **and Arthur F. Kip.** Starting mechanism of discharge counters—1069(A)
Brown, William Fuller, Jr. Torsional vibrations of crystalline cylinders—558(A)
Brubaker, W. M. D. C. amplifier—248(A)
——— (see Slepian, Joseph)—250(A)
Bruynes, Hendrick (see Albertson, W. E.)—292
Buchdahl, Rolf. Negative ion formation in iodine vapor by electron impacts—1071(A)
Buchwald, Charles E. and Franklin S. Cooper. New direct reading densitometer—1059(A)
Buechner, W. W. (see Lamar, E. S.)—1070(A)
——— **and E. S. Lamar.** Focusing of proton beams—1070(A)
Butler, E. H., Jr. and E. M. Pugh. Galvano- and thermomagnetic phenomena in iron and nickel—916
Butler, J. C. (see Hancock, J. O.)—1088(A)

Cacciapuoti, N. B. (see Ageno, M.)—945
Cady, Willoughby M. (see Tomboulian, D. H.)—1055(A)
Capen, S. P. Address of welcome—944(T)
Carlson, J. F. Simple calculation of disintegration by mesons—353(A)
Carr, Thomas D. and A. A. Bless. X-ray diffraction in cellosolves—940(A)
Carroll, K. G. Binding energy of Li^7—791
Cartwright, C. Hawley. Camera lenses with low reflecting films—358(A)
——— Durable low-reflecting films on glass—1060(A)
——— New high-sensitivity galvanometer—560(A)
Cashman, R. J. External photoelectric effect in semiconductors—1090(A)
Chao, K. T. (see Crane, H. R.)—555(A), 664(L)
——— (see Oleson, N. L.)—1063(A)
Charles, George W. and Fred W. Paul. Spectra of Cb V and Cb VII—345(A)
Chu, L. J. (see Stratton, J. A.)—1080(A)
Clark, J. S. (see Northrup, D. L.)—563(A)
Cleveland, Forrest F. Raman spectra of aqueous solutions of sucrose—1078(A)
——— **and M. J. Murray.** Depolarization factors of the Raman lines of some derivatives of phenylacetylene—70(A)
——— **and M. J. Murray.** Infra-red absorption spectrum of methylphenylacetylene—346(A)
——— **and M. J. Murray.** Raman spectra of acetylenes—565(A)
Clogston, A. M. (see Feshbach, H.)—1058(A)
Cocconi, Giuseppe. New proof of the instability of the mesotron—61(L)
——— **and Vanna Tongiorgi.** On the equilibrium of the compounds of cosmic radiation at sea level—1180(L)
Cohen, V. W., H. H. Goldsmith and M. Hamermesh. Scattering of resonance neutrons in paraffin—352(A)
Cohn, Willi M. Spectral transmission of glucose glass in the near infra-red—355(A)
Cole, P. A. and F. S. Brackett. Absorption spectra of microscopic structures—1060(A)
Coleman, K. D. (see Bosch, W. C.)—941(A)
Collins, George B. (see Waldman, Bernard)—338(L)
——— **and Bernard Waldman.** Nuclear excitation of indium by electrons—1088(A)
Collins, S. C. (see Jacobs, R. B.)—568(A)
Constant, F. W., H. E. Lenander and R. E. Faires. Effect of heat treatment on ferromagnetic impurities—1089(A)
Cook, Emory. Phenomenological theory of superconductors—67(A)
Coomes, E. A. (see Peterson, L. E.)—1081(A)
Cooper, Densil M. Fine structure in the zenith angle distribution of cosmic-ray intensity—68(A)
Cooper, E. P. and P. Morrison. Internal scattering of gamma-rays—249(A), 862
Cooper, Franklin S. (see Buchwald, Charles E.)—1059(A)
Cooper, John N. Auger effect in x-ray line widths—1055(A)
Copeland, Paul L. Anode effect as a function of temperature—72(A), 625
——— **and J. M. Kubert.** Investigation of dynatron hysteresis at low frequencies—1065(A)
Cork, J. M. (see Lawson, J. L.)—356(A), 982
——— **and J. Halpern.** Relative probability for the loss of neutrons and alpha-particles from an excited nucleus—667
———, **J. Halpern and H. Tatel.** Production of radium E and radium F (polonium) from bismuth, 348(A), 371
Cornog, R. Back diffusion in oil vapor vacuum pumps—249(A)
——— (see Alvarez, L. W.)—248(A)
Corson, Dale R. (see Segrè, E.)—1087(A)
——— **and Kenneth R. MacKenzie.** Artificially produced alpha-particle emitters—250(A)
———, **K. R. MacKenzie and E. Segrè.** Artificially radioactive element 85—1087(A)
———, **K. R. MacKenzie and E. Segrè.** Possible production of radioactive isotopes of element 85—459(L)
Crane, H. R. (see Oleson, N. L.)—1063(A)

———, **J. Halpern and N. L. Oleson.** Gamma-rays from beryllium and nitrogen bombarded with deuterons—13
———, **N. L. Oleson and K. T. Chao.** Energy loss of electrons in carbon—555(A)
———, **N. L. Oleson and K. T. Chao.** Energy loss of electrons in carbon and the decay of the mesotron—664(L)
Cranford, J. M. Air friction on a centrifuge rotor as a function of pressure and rotor speed—1056(A)
Creutz, E. C. (see Barkas, W. H.)—562(A), 1087(A)
———, **J. G. Fox and R. Sutton.** Radioactivity induced in neon and aluminum by protons—567(A)
Cummings, Charles S. (see Bleakney, Walker)—1072(A)
——— **and L. Tonks.** Influence of a longitudinal magnetic field on a low pressure arc—1064(A)
——— **and Walker Bleakney.** Ionization of methyl and ethyl alcohol by electron impact—1072(A)
Curtis, B. R. Cyclotron ion source with retractable filament —1070(A)
——— **and J. R. Richardson.** Radiation from radioactive indium (116)—1121
Curtis, Norma L. (see Michels, Walter C.)—1065(A)
Curtiss, L. F., Clark Goodman, Alois F. Kovarik, S. C. Lind, C. S. Piggot and Robley D. Evans. Radioactive standards—457(L)

Dancoff, S. M. Shielding of high energy neutrons by water tanks—251(A)
Daniel, John H. Field emission from tungsten single crystals—1079(A)
Darby, Paul F. and Willard H. Bennett. Collisions of negative atomic ions with molecules—350(A)
Darling, Byron T. and David M. Dennison. Water vapor molecule—128
David, Francis J. (see Winans, J. G.)—70(A)
Davidson, William L., Jr. Energy levels, mass and radioactivity of A^{41}—244(L)
——— Energy levels near the ground state in Co^{60} and As^{76}—568(A)
——— Production of F^{18} by deuterons—1086(A)
——— (see Pollard, Ernest)—1117
Davies, J. M. Aerodynamics of golf balls—1057(A)
Davis, Francis J. (see Winans, J. G.)—70(A) 1079(A)
Davisson, J. W. (see Hippel, A. von)—156(L)
Day, Harry (see Banks, Floyd R.)—1067(A)
——— (see Miller, P. H., Jr.)—1067(A)
Dean, L. A. (see Ballard, Stanley S.)—355(A)
Delsasso, L. A. (see Barkas, W. H.)—562(A), 1087(A)
Dennison, David M. Excited states of the O^{16} nucleus—454
——— (see Darling, Byron T.)—128
——— (see Koehler, J. S.)—70(A), 1006
Deutch, I. (see Bloomenthal, S.)—1068(A)
Dibble, Barry (see Strong, John)—247(A)
Dickey, F. P. Permeability of iron wires at radiofrequencies —1053(T)
Dickson, G., P. W. McDaniel and E. J. Konopinski. Another criterion in the identification and prediction of half-lives—351(A)
Dodson, Richard W. and Robert Dudley Fowler. Products of the uranium fission. Radioactive isotopes of iodine and xenon—966
Doolittle, H. D. (see Perkins, H. A.)—71(A)
Douglas, A. E. and G. Herzberg. Spectroscopic evidence for the B_2 molecule—752(L)
DuBridge, L. A. and John Marshall. Radioactive isotopes of Sr, Y and Zr—348(A)
Duffendack, O. S. (see Saunderson, Jason L.)—68(A)
DuMond, J. W. M. (see Miller, P. H., Jr.)—198
Dunlap, Henry (see Hudspeth, Emmett)—971, 1075(A)
Dunning, J. R. (see Hanstein, H. B.)—565(A)
——— (see Kingdon, K. H.)—749(L)
——— (see Nier, Alfred O.)—546(L), 748(L)
——— (see Nix, F. C.)—566(A)

Ehrenhaft, Felix. Diffusion, Brownian movement, Loschmidt-Avogadro's number and light—1050(L)
——— New evidence on particles of the light wave-length size—562(A)
——— Photophoresis of small particles in a magnetic field —659(L)
Ehrhardt, C. H. and K. Lark-Horovitz. Intensity distribution in x-ray and electron diffraction patterns. X-ray atom factors of zinc in zinc oxide and chemical binding —603
Eisenstein, A. and N. S. Gingrich. Diffraction of x-rays by liquid argon—1054(A)
Ellett, A. (see McLean, W. B.)—1083(A)
——— (see Young, V. J.)—1083(A)
———, **W. B. McLean, V. J. Young and G. J. Plain.** Distribution in angle of alpha-particles from $F^{19}+H^1$—1083(A)
Elmore, W. C. Theory of the magnetite light shutter—842(L)
Engstrom, R. W. Time-lag analysis of the Townsend discharge in argon with activated caesium electrodes—73(A)
Evans, Foster. Electrical fields produced in interstellar space by cosmic rays—69(A)
Evans, Julian. Examination of colored alkali halides for photoelectric Hall effect—47
Evans, Robley D. Experimental values of the matrix element in Fermi's theory of β-decay—1082(A)
——— (see Curtiss, L. F.)—457(L)
——— (see Goodman, Clark)—557(A)
——— (see Irvine, John W., Jr.)—1083(A)
Ewing, D. H. (see Weisskopf, V. F.)—472, 935(L)
Ezoe, H. (see Nishina, Y.)—1182(L)

Failla, G. and Edith H. Quimby. Decrease of skin damage by deflecting secondary electrons from a beam of one million-volt x-rays—1055(A)
Faires, R. E. (see Constant, F. W.)—1089(A)
Fankuchen, I. Interparticle separations for tobacco mosaic virus at varying concentrations, pH, and ionic concentrations—359(A)
——— Secondary x-ray diffraction maxima from tobacco mosaic virus—354(A)
Fano, U. Theory on excitation of phosphorescence by cathode rays—564(A)
Feenberg, Eugene. Nuclear excitation by charged particles which do not penetrate the potential barrier—348(A)

Feller, Willy. On the time distribution of so-called random events—906
Ferguson, J. N. Photoconductivity of NaCl in the far ultraviolet—1089(A)
Ferguson, W. F. C. and Isidore Hudes. Band spectrum of antimony chloride—705
Fermi, Enrico, Ionization loss of energy in gases and in condensed materials—485
Ferretti, B. (see Ageno, M.)—945
Feshbach, H. and A. M. Clogston. Method for solving the wave equation in a region with perturbed boundaries—1058(A)
Field, G. S. Dispersion of supersonic waves in cylindrical rods—1188(L)
Finkelstein, A. T. and Lloyd P. Smith. High efficiency ion source—563(A)
Finkelstein, R. and J. H. Van Vleck. Energy levels in solid chrome alum—557(A)
Fireman, Peter. Comprehensive theory of light—1060(A)
Fitzsimmons, K. E. Onset and corona studies with confocal paraboloids in air at atmospheric pressure—251(A)
Flowers, J. W. Automatic cathode-ray oscillographs for the recording of lightning currents—560(A)
Focke, Alfred B. (see Hartmann, G. K.)—221
——— (see Shear, Sidney K.)—532
Foote, Paul D. Gasoline—1053(T)
——— Gasoline, from the point of view of the physicist—939(T)
Forró, M. (see Barnóthy, J.)—552(L)
Foster, M. G. Conductivity and mobility of thin lead films—42
Found, Clifton G. and Edward F. Hennelly. Production of resonance radiation—560(A)
Fowler, Charles A., Jr. and F. A. Jenkins. Absorption spectra of certain diatomic halides—247(A)
Fowler, Robert Dudley (see Dodson, Richard W.)—966
Fowler, W. A. (see Sheppard, C. W.)—273
Fox, J. G. (see Barkas, W. H.)—562(A)
——— (see Creutz, E. C.)—567(A)
Frankel, S. Phillips. Elementary derivation of thermal diffusion—661(L)
Franklin, R. G. (see Allen, A. J.)—347(A)
Fred, Mark. (see Beutler, H.)—69(A)
Friedman, H. and J. A. Bearden. Structure of the x-ray $K\beta_{2,5}$ lines of Cu and Zn in brasses—1085(A)
——— **and W. W. Beeman.** Emission and absorption processes involving the *3d* and *4s* bands of copper and nickel—354(A)
Froman, Darol K. (see Josephson, Vernal)—335(L)
Furry, W. H. Isotope separation by thermal diffusion—553(T)
——— (see Jones, R. Clark)—547(L)
——— **and R. Clark Jones.** Theory of isotope separation by thermal diffusion: Cylindrical case—561(A)

Gaerttner, E. R. and Louis A. Pardue. Gamma-radiation from nitrogen bombarded by deuterons—386
Gamertsfelder, Carl. Diffraction of x-rays by indium, cadmium, zinc, and chlorine in the liquid state—1055(A)
Garner, L. P. (see Tykociner, J. T.)—565(A)
Gast, Paul (see Loughridge, Donald H.)—249(A), 938(L)
Gautier, T. N. and Arthur Ruark. Composition of mixed vapors in cloud chambers—940(A), 1040
Germer, L. H. and F. E. Haworth. Order in the copper-gold alloy system—354(A)
Gill, P. S. East-west asymmetry of cosmic rays at 40° N latitude—68(A)
Gingrich, N. S. (see Eisenstein, A.)—1054(A)
——— **and R. Q. Gregg.** Comparison of liquid diffraction patterns using crystal-reflected and filtered x-rays—1055(A)
Ginnings, D. C. (see Mueller, E. F.)—1056(A)
Githens, Sherwood, Jr. Influence of discharge chamber structure upon the initiating mechanism of the high frequency discharge—822
Givens, J. W. (see Beeck, Otto)—248(A)
———, **Otto Beeck and E. C. Williams.** On the mechanism of boundary lubrication. Part I. Wear prevention by addition agents—247(A)
Glasoe, G. N. and J. Steigman. Radioactive products from gases produced in uranium fission—566(A)
Glathart, J. L. (see Hoag, J. Barton)—240(L)
Godart, O. On space closure of periodic orbits in the field of a magnetic dipole—1062(A)
Goldhaber, M. (see Haxby, R. O.)—1088(A)
——— (see O'Neal, R. D.)—1086(A)
Goldsmith, H. H. (see Cohen, V. W.)—352(A)
Goldstein, Louis. On Bose-Einstein fluids—241(L), correction 457(L)
——— On some points of the Bose-Einstein condensation—1066(A)
Goodman, Clark (see Curtiss, L. F.)—457(L)
——— **and Robley D. Evans.** Progress report on radioactive standards—557(A)
Goranson, Roy W. and E. A. Johnson. Attainment of high hydrostatic pressures—845(L)
Gordy, Walter and Spencer C. Stanford. Spectroscopic comparison of strengths of hydrogen bonds between CH_3OD and certain solvents—346(A)
Goudsmit, S. and J. L. Saunderson. Multiple scattering of electrons—24, 73(A), 552(L)
Grabbe, Eugene M. Ferromagnetic anisotropy magnetization at saturation, and superstructure in Ni_3Fe and nearby compositions—728
Granath, L. P., C. M. Herget and J. D. Hardy. Weber-Fechner and Granit-Harper laws for heat sensation—1059(A)
Graves, Elizabeth Riddle. Energy release from $Be^9(d,\alpha)Li^7$ and the production of Li^{7*}—855
——— (see Allison, Samuel K.)—158(L)
——— (see Skaggs, L. S.)—1087(A)
Green, J. B., D. W. Bowman and E. H. Hurlburt. Zeeman effect in krypton—345(A)
Gregg, E. C., Jr. Optical method for the measurement of ultrasonic absorption—1053(A)
Gregg, R. Q. (see Gingrich, N. S.)—1055(A)
Grisewood, E. N. (see Bacon, R. H.)—240(L)
Gross, B. On after-effects in solid dielectrics—57
Grosse, A. V. (see Nier, Alfred O.)—546(L), 748(L)

——— **and E. T. Booth.** Radioactive zirconium and columbium from uranium fission—664(L)
Guarino, P. A. (see Peterson, L. E.)—1081(A)
Guillissen, J. (see Stahel, E.)—341(L)
Guth, Eugene. Interaction of electrons with nuclei—349(A)
——— Relaxation effects in the statistical theory of rubber elasticity—1085(A)
——— (see Mullin, Charles J.)—349(A)
——— **and Josef Mayerhöfer.** On the deviations from Ohm's law at high current densities—908

Haas, Arthur E. Derivation of Boltzmann's law by means of Bohr's frequency condition—67(A)
Hagstrum, Homer D. (see Tate, John T.)—1071(A)
——— **and John T. Tate.** Further electron impact study of NO—561(A)
——— **and John T. Tate.** On the thermal activation of the oxygen molecule—1071(A)
Hall, Harvey (see Halpern, Otto)—459(L)
Halpern, J. (see Cork, J. M.)—348(A), 371, 667
——— (see Crane, H. R.)—13
Halpern, Otto and Harvey Hall. Energy losses of fast mesotrons and electrons in condensed materials—459(L)
——— **and M. H. Johnson.** On the neutron's magnetic moment—160(L)
Hamermesh, M. (see Cohen, V. W.)—352(A)
Hamilton, Donald R. (see Renzetti, Nicholas A.)—570(A)
Hammond, Arthur A. Why teach physics in high schools—944(T)
Hanau, Richard (see Albertson, W. E.)—292
Hancock, J. O. and J. C. Butler. Radioactive isotopes of rubidium—1088(A)
Hansche, George E. Conditions influencing the intensity of the $^3\Pi - {}^1\Sigma$ Cameron bands of CO—289
Hansen, Wilbur and Gerald A. Wrenshall. Collisions of alpha-particles with chlorine nuclei—750(L)
Hanstein, Henry B. Neutron-proton interaction—1045(L)
——— **and J. R. Dunning.** Transmission measurements with indium resonance neutrons (1 ev$>E>$0.5 ev)—565(A)
Hardy, A. C. Physicist in industry—553(T)
Hardy, J. D. (see Granath, L. P.)—1059(A)
——— (see Herget, C. M.)—1078(A)
Harkins, William D. (see Borst, L. B.)—659(L)
——— (see Boyd, Edward)—1067(A)
———, **T. Fraser Young and Edward Boyd.** Energy and entropy of extension and spreading of monolayers—1067(A)
Harnly, H. W. Push-pull d.c. amplifier—1053(T)
Harrison, George R. New developments in Zeeman effect—553(T)
——— (see Albertson, W. E.)—1073(A)
——— **and Francis Bitter.** Zeeman effects in complex spectra at fields up to 100,000 gauss—15
——— **and J. Rand McNally, Jr.** Zeeman effects in ruthenium spectra at high fields (Ru I and Ru II)—1074(A)
Hartmann, G. K. and Alfred B. Focke. Absorption of supersonic waves in water and in aqueous suspensions—221
Haseltine, William R. Diffraction of radio ranges by hills—253(A), 717
Hastings, A. E. Secondary emission from films of silver on platinum—695
Havens, R. (see Rollefson, R.)—710
Haworth, F. E. (see Germer, L. H.)—354(A)
Haworth, L. J. (see Manley, J. H.)—1075(A)
———, **J. H. Manley, M. P. Vore and E. A. Luebke.** Neutron velocity measurements—1075(A)
Haxby, R. O. (see Wells, W. H.)—347(A)
———, **W. E. Shoupp, W. E. Stephens and W. H. Wells.** Beryllium (p,n) threshold—567(A)
———, **W. E. Shoupp, W. E. Stephens and W. H. Wells.** Lithium and carbon (p,n) thresholds—348(A)
———, **W. E. Shoupp, W. E. Stephens, W. H. Wells and M. Goldhaber.** Thorium fission threshold—1088(A)
Heaps, C. W. Optical and magnetic properties of a magnetite suspension—358(A), 528
Heck, Charles M. Maximum temperature differences obtained by radiation to space through the atmosphere—943(A)
Hector, L. Grant. Measurements in architectural acoustics (with demonstrations)—944(T)
——— (see Holl, Frederick J.)—944(T)
——— **and Donald L. Woernley.** New measurements on the dielectric constants of eight gases—1056(A)
Heidenreich, Robert D. Starting potentials of Geiger-Müller counters in oxygen-nitrogen mixtures—1069(A)
Hellund, E. J. Generalized theory of diffusion—319; II—328
——— Isotope separation by transient pressure diffusion—743
——— Osmotic diffusion in gases—737
Helmholz, A. C. Measurement of gamma-ray energies—248(A)
——— (see Alvarez, Luis W.)—660(L)
Henderson, W. J. (see King, L. D. P.)—71(A)
Hendricks, Sterling B. Variable structures and continuous scattering of x-rays from layer silicate lattices—448
Hennelly, Edward F. (see Found, Clifton G.)—560(A)
Henry, Hugh F. Impulsive electrical discharge through a conducting liquid—939(A)
——— (see Snoddy, L. B.)—350(A)
Herb, R. G. (see Hudson, Colin M.)—72(A), 587
——— (see Plain, G. J.)—187
Herget, C. M. (see Granath, L. P.)—1059(A)
——— **and J. D. Hardy.** Infra-red absorption spectrum of cystine and deuterium cystine—1078(A)
Herman, R. C. and R. Hofstadter. Observations on the dark current of a willemite crystal—936(L)
Herring, Conyers. New method for calculating wave functions in crystals—1169
——— **and A. G. Hill.** Exchange energy of electrons in metals—1080(A)
Hertel, K. L. Physical problems in the textile industry—939(T)
——— (see Sullivan, R. R.)—943(A)
Herzberg, G. (see Douglas, A. E.)—752(L)
Herzog, Gerhard. Circuit for anticoincidences with G-M counters—67(A)
——— Cloud-chamber photographs of cosmic rays up to an altitude of 29,300 feet—337(L)

Hess, Victor Francis. On the seasonal and the atmospheric temperature effect in cosmic radiation—781
Hevesy, G. Use of radioactive isotopes of the common elements in physiology—240(L)
Heydenburg, N. P. and N. F. Ramsey. Scattering of one- to three-Mev protons by helium—1077(A)
Hicks, Bruce L. Compton line profiles applied to chemical binding—665(L)
Hilberry, Norman (see Rossi, Bruno)—67(A), 461
Hill, A. G. (see Herring, Conyers)—1080(A)
——— **and L. R. Aronin.** Photoconductivity in zinc silicates—1090(A)
Hill, E. L. Spin angular momenta of elementary particles—1184(L)
——— (see Jauch, J. M.)—641
Hill, J. E. p-n reactions in lithium or beryllium—567(A)
——— Relative distribution in energy of the neutrons from the (p,n) reactions in lithium and beryllium—1076(A)
Hippel, A. von (see Roberts, S.)—1056(A)
——— **and J. W. Davisson.** Propagation of electron waves in ionic single crystals—156(L)
——— **and R. J. Maurer.** Electrical breakdown strength of glasses *versus* crystals as a function of temperature—1056(A)
Hipple, John A. Analysis of B_2H_6 with a mass spectrometer—350(A)
Hirsh, F. R., Jr. Double ionization by the Auger effect: Cause of a satellite intensity anomaly for the x-ray diagram line $M\alpha_1$—662(L)
Hitchcock, W. J. (see Molnar, J. P.)—564(A)
Hoag, J. Barton. Ferromagnetic relaxation constant—71(A)
——— Production and half-life of chlorine 33—937(L)
——— (see Rossi, Bruno)—67(A), 461
——— **and J. L. Glathart.** Outer, initial permeability of nickel from 10 to 70 megacycles—240(L)
Hofstadter, R. (see Herman, R. C.)—936(L)
Hofstetter, H. W. Psychological factors in the adjustment of the eye to an optical instrument—1053(T)
Hoisington, L. E. Relativistic corrections to neutron-proton and proton-proton scattering—1077(A)
Holden, A. N. and W. P. Mason. Elastic, dielectric and piezoelectric constants of heavy-water Rochelle salt—54
Holl, Frederick J. and L. Grant Hector. Effect of short wave radiation on trichinella spiralis—944(T)
Holloway, M. G. Disintegration of N^{14} and N^{15} by deuterons—347(A)
——— **and H. A. Bethe.** Cross section of the reaction $N^{15}(p,\alpha)C^{12}$—747(L)
——— **and B. L. Moore.** Disintegration of C^{12}, C^{13} and O^{16} by deuterons—1086(A)
Holt, J. (see Walke, H.)—171, 177
Hornbeck, George A. and E. Irl Howell. High-energy secondaries produced by million volt electrons in nitrogen gas—1081(A)
Houston, W. V. Acceleration of electrons in a crystal lattice—184
Howe, C. E. Instructional uses of the cathode-ray oscilloscope—1053(T)
Howell, E. Irl (see Hornbeck, George A.)—1081(A)
Hudes, Isidore (see Ferguson, W. F. C.)—705
Hudson, Colin M. (see Plain, G. J.)—187
———, **R. G. Herb and G. J. Plain.** Excitation of the 450-kev level of Li^7 by proton bombardment—72(A)
———, **R. G. Herb and G. J. Plain.** Excitation of the 455-kev level of Li^7 by proton bombardment—587
Hudspeth, Emmett (see Bonner, T. W.)—1075(A); 1187(L)
——— **and Henry Dunlap.** Anomalous scattering of neutrons by helium and the d-d neutron spectrum—971, 1075(A)
Hughes, Donald J. Positive excess and electron component in the cosmic-ray spectrum—356(A), 592
Huntington, H. B. Contributions to the shear constants of hexagonal crystals—60(L)
——— **and Frederick Seitz.** On the theory of diffusion in substitutional alloys—559(A)
Huntoon, R. D. Square wave analysis of linear pulse amplifiers—1068(A)
——— (see Strohmeyer, L. J.)—1069(A)
Hurlburt, E. H. (see Green, J. B.)—345(A)
Hurst, Wm. Construction of an electron microscope and auxiliary equipment—940(A)
Hustrulid, Andrew (see Mann, Marvin M.)—561(A)

Iimori, Takeo (see Amaki, Toshio)—741(L)
Ikawa, M. (see Nishina, Y.)—1182(L)
——— (see Sagane, R.)—750(L), 1179(L)
Infeld, L. and P. R. Wallace. Equations of motion in electrodynamics—797
Ingersoll, L. R. and Philip Rudnick. Circular dichroism in crystalline nickel sulphate—70(A)
———, **P. Rudnick, F. G. Slack and N. Underwood.** Optical activity, circular dichroism and absorption of crystalline nickel sulphate—1145
Inglis, D. R. and E. Teller. On a proposed thermoelectric origin of the earth's magnetism—1154
——— **and E. Teller.** Theory of terrestrial magnetism—568(A)
Irvine, John W., Jr. and Robley D. Evans. Preparation of absolute β-ray standards—1083(A)

Jacobs, Robert Byron. Effects of very high pressures—1084(A)
——— Sodium chloride at very high pressures—1046(L)
——— **and S. C. Collins.** Simple adiabatic expansion machine—568(A)
Jaffé, George. Local field in polarized dielectrics—558(A)
Jamison, Noel C. Absolute measurement of magnetic susceptibility of water in weak fields—1089(A)
——— (see Meeks, W. W.)—71(A)
Jánossy, L. (see Rossi, B.)—1062(A)
Jarvis, G. A. Positive ion emission from nickel—335(L)
Jauch, J. M. and E. L. Hill. On the problem of degeneracy in quantum mechanics—641
Jauncey, G. E. M. (see Nafe, J. E.)—1040(L)
——— (see Varney, R. N.)—1084(A)
Jenkins, F. A. (see Fowler, Charles A., Jr.)—247(A)
——— **and R. E. Worley.** Extreme ultraviolet absorption spectrum of nitrogen—252(A)

Jesse, William P. Time variations in cosmic-ray intensity at high altitudes—356(A)
——— (see Schein, Marcel)—68(A), 847
Johnson, E. A. (see Goranson, Roy W.)—845(L)
Johnson, E. H. Vibrating rods as laboratory sources of sound—1053(T)
Johnson, M. H. (see Halpern, O.)—160(L)
Johnson, Thomas H. (see Barry, J. G.)—555(A)
——— (see Pomerantz, Martin A.)—555(A)
—— **and J. Griffiths Barry.** Contributions of showers to the coincidences recorded at high elevations—245(L)
———, **J. Griffiths Barry, and Ralph P. Shutt.** Direct evidence of a proton component of the cosmic radiation—1047(L)
———, **R. P. Shutt and J. G. Barry.** On the occurrence of associated mesons—1062(A)
Johnson, Vivian A. Effect of nuclear motion on the energy of the ground state of H_2^+—1066(A)
——— Effect of valence electrons and electron cloud distortion upon intensities in electron and x-ray scattering (applied to zinc oxide)—613
Jones, C. C., D. A. McGraw, T. E. Pardue, Arthur Ruark and Katherine Way. Large cloud chamber—1070(A)
Jones, R. Clark (see Furry, W. H.)—561(A)
——— **and W. H. Furry.** On the calculation of the thermal diffusion constant from viscosity data—547(L)
Jordahl, O. M. Crystalline electric field in $CuSO_4 \cdot 5H_2O$—349(A)
Jordan, E. B. New mass spectrograph having extremely high dispersion and resolving power—1072(A)
Josephson, Vernal, Darol K. Froman and J. C. Stearns. Simultaneous penetrating rays from the atmosphere—335(L)

Kabakjian, D. H. Luminescence of pure radium and barium compounds—700
Kamen, Martin D. (see Ruben, Samuel)—549(L)
Kanner, M. H. and H. H. Barschall. Distribution in energy of the fragments from uranium fission—372, 566(A)
Kaplan, Joseph. Levels of emission of night-sky spectra—249(A)
——— New afterglow phenomena—662(L)
Karr, H. and R. N. Varney. Mechanism of electron space charge neutralization by positive ions—1064(A)
Kaufmann, Albert R. Approach to magnetic saturation of nickel under torsional strain—1089(A)
——— (see Pan, S. T.)—569(A)
——— (see Starr, C.)—569(A), 1089(A)
———, **F. Bitter, S. Pan and C. Starr.** Magnetization at low temperatures of copper containing 0.7 percent iron—569(A)
Keesom, W. H. and B. Kurrelmeyer. Specific heats of nickel-copper and nickel-iron alloys from 1.1 to 20.4°K—1068(A)
Kehoe, J. C. Photographic analysis of spectacle adjustments—1053(T)
Kellogg, J. M. B. (see Zacharias, J. R.)—570(A)
———, **I. I. Rabi, N. F. Ramsey, Jr. and J. R. Zacharias.** Electrical quadrupole moment of the deuteron. Radio-frequency spectra of HD and D_2 molecules in a magnetic field—677
Kennedy, J. W. (see Seaborg, G. T.)—363
——— **and G. T. Seaborg.** Isotopic identification of induced radioactivity by bombardment of separated isotopes; 37-minute Cl^{38}—843(L)
Kimura, K. (see Nishina, Y.)—1182(L)
King, Allen. Ring method for measuring torsion elastic modulus—1083(A)
King, L. D. P. and W. J. Henderson. Radioactive indium isotopes produced by alpha-particles on silver—71(A)
King, Ronold. Extended wave-length spectrum of oscillations in a triode with positive grid—1065(A)
Kingdon, K. H. and H. C. Pollock. Mass spectrograph for separation of heavy isotopes—1072(A)
———, **H. C. Pollock, E. T. Booth and J. R. Dunning.** Fission of the separated isotopes of uranium—749(L)
Kip, Arthur F. (see Brown, Sanborn C.)—1069(A)
——— **and Sanborn C. Brown.** Threshold potentials for discharge counters—1069(A)
Kirby-Smith, J. S. (see Bonner, L. G.)—1078(A)
Kirkham, Don. Solution of Laplace's equation in application to the artificial drainage of waterlogged land overlying an impervious layer—1058(A)
Kirsch, S. C., S. J. (see Weber, Alfred H.)—1042
Kittel, C. (see Breit, G.)—255
Knauss, H. P. Notes on Ohio physics club history—1053(T)
Knipp, J. E. (see Present, R. D.)—751(L), 1188(L)
Knorr, H. V. (see Albers, V. M.)—346(A)
——— **and V. M. Albers.** Fluorescence spectra of $\alpha, \beta, \gamma, \delta$-tetraphenylporphine and some of its metal complex salts—347(A)
Koehler, James S. and D. M. Dennison. Hindered rotation in methyl alcohol—70(A), 1006
Kojima, S. (see Sagane, R.)—750(L), 1179(L)
Konopinski, Emil J. Effect of the slowing down in the source on the high energy portions of beta-spectra—68(A)
——— (see Dickson, G.)—351(A)
——— **and G. E. Uhlenbeck.** Energy distribution of the beta-rays in forbidden transitions—1082(A)
Korff, S. A. Production of neutrons by cosmic-ray showers—555(A)
——— (see Bethe, H. A.)—573
Kovarik, Alois F. (see Curtiss, L. F.)—457(L)
Kratz, Howard R. and J. E. Mack. Improved method for obtaining a long optical path in a limited space—1059(A)
Kruger, P. Gerald. Some effects of disintegration products, from the reaction $_5B^{10}$+slow $_0n^1$, on mammary carcinoma, lymphoma and sarcoma—250(A)
Kubert, J. M. (see Copeland, Paul L.)—1065(A)
Kuerti, G. (see McCreary, R. L.)—351(A)
——— (see Wilkins, T. R.)—1082(A)
——— **and T. R. Wilkins.** Anomalous scattering of 6.7-Mev protons by Al—1081(A)
Kunz, Jakob (see Tykociner, J. T.)—565(A)
Kunz, Kaiser S. (see Podolsky, Boris)—349(A)

Kuo, I. C. (see Boggild, J. K.)—356(A)
Kuper, J. B. H. (see Brackett, F. S.)—1059(A)
——— **and F. S. Brackett.** Fast recording spectrophotometer—1059(A)
Kurrelmeyer, B. (see Keesom, W. H.)—1068(A)
Kusch, P., S. Millman and I. I. Rabi. Radiofrequency spectra of atoms—352(A)
———, **S. Millman and I. I. Rabi.** Radiofrequency spectra of atoms. Hyperfine structure and Zeeman effect in the ground state of Li^6, Li^7, K^{39} and K^{41}—765
Kyropoulos, S. Theory of composition of bearing alloys—248(A)

Lamar, Edward S. (see Buechner, W. W.)—1070(A)
——— (see Stone, Albert M.)—212
——— **and W. W. Buechner.** Production of proton beams—1070(A)
Lamb, W. E., Jr. Deviation from the Coulomb law for a proton—458(L)
Lambert, Joseph M. Volume rectifying action in Cu_2O crystals—73(A)
Landau, L. On the polarization of electrons by scattering—, 548(L)
Landé, Alfred. On Sommerfeld's fine structure constant—1074(A)
——— On the ratio of c, e, and h—562(A)
——— Sommerfeld's fine structure constant—345(A)
——— Eigenvalue problem of the dirac electron—1183(L)
Landsverk, O. G. $^1\Sigma \rightarrow {}^1\Sigma$ transition of the C_2 molecule—70(A)
Langer, L. M. (see Mitchell, A. C. G.)—347(A), 1107
———, **A. C. G. Mitchell and P. W. McDaniel.** Coincidence measurements in As^{76}—347(A)
Langmuir, D. B. (see Nelson, R. B.)—559(A)
Langsdorf, Alexander, Jr. and Emilio Segrè. Nuclear isomerism in selenium and krypton—105
Lark-Horovitz, K. (see Ehrhardt, C. H.)—603
——— (see Risser, J. R.)—355(A)
Larrick, Lewis. Hardness of rubber and other highly elastic materials—358(A)
Lawson, Andrew W. Nature of the lambda-point transition in ammonium chloride—559(A)
——— Variation of the adiabatic and isothermal elastic moduli and coefficient of thermal expansion with temperature through the λ-point transition in ammonium chloride—417
Lawson, J. L. Shape of "allowed" beta-ray spectra—1082(A)
——— **and J. M. Cork.** Energy spectra of radioactive indium—356(A)
——— **and J. M. Cork.** Radioactive isotopes of indium—982
Leitzke, Victor A. (see Winans, J. G.)—70(A), 1079(A)
Lenander, H. E. (see Constant, F. W.)—1089(A)
Leonard, Robert W. Absorption of sound in carbon dioxide—253(A)
Lewis, W. D. Dilemma in the magnetic properties of $Gd_2(SO_4)_3 \cdot 8H_2O$—1088(A)
Lifschutz, Harold. New vacuum tube scaling circuits of arbitrary integral or fractional scaling ratio—243(L)
Lind, S. C. (see Curtiss, L. F.)—457(L)
Livingood, J. J. (see Seaborg, G. T.)—363
Loughridge, Donald H. and Paul Frederick Gast. Air mass effect on cosmic-ray intensity—249(A)
——— **and Paul Frederick Gast.** Magnetic storm effect on cosmic rays at high latitudes—938(L)
Ludloff, H. F. Equation of state and thermoelastic properties of the solid—558(A)
——— Relations between elastic properties of solids—66(A)
Luebke, E. A. (see Haworth, L. J.)—1075(A)
——— (see Manley, J. H.)—1075(A)
Luyet, B. J. Vitrification of water—357(A)
Lyddane, R. H. and O. Stuhlman, Jr. Theoretical analysis of surface energy as a cause of phagocytosis—940(A)
———, **R. G. Sachs and E. Teller.** Longitudinal vibrations of ionic crystals—1084(A)
Lyons, W. James. Initial stage of plastic deformation in lead—66(A)

Mack, J. E. (see Kratz, Howard R.)—1059(A)
——— (see Roberson, J. H.)—1074(A)
MacKenzie, Kenneth R. (see Corson, Dale R.)—250(A), 459(L), 1087(A)
——— (see Segrè, E.)—1087(A)
MacPhail, M. R. Anomalous scattering of fast neutrons—669
Manley, J. H. (see Haworth, L. J.)—1075(A)
———, **L. J. Haworth, E. A. Luebke and M. P. Vore.** Illinois linear accelerator—1075(A)
Mann, Marvin M., Andrew Hustrulid and John T. Tate. Dissociation of NH_3 by electron impact—561(A)
Margenau, Henry. Interaction between alpha-particles—568(A)
——— Relativistic magnetic moment of a charged particle—383
——— (see Pollard, W. G.)—557(A)
Marshak, R. E. Heavy electron pair theory of nuclear forces—1101
——— Meson pair theory of nuclear forces—556(A)
——— **and H. A. Bethe.** Theory of β-decay and the radius discrepancy for sirius B—69(A)
Marshall, John (see DuBridge, L. A.)—348(A)
Marshall, J. Wallace (see Spencer, Raymond G.)—354(A), 1085(A)
Marton, L. New electron microscope—1073(A)
Masket, A. Victor. Quantity-type rotor for the ultracentrifuge—1056(A)
Mason, W. P. (see Holden, A. N.)—54
Mattauch, Josef. Correction to measurements with the electrostatic analyzer—549(L)
——— Discussion on the isotopic weight of C^{12}—1155
Maurer, Robert J. Photoelectric and optical properties of sodium and barium—653
——— (see Hippel, A. von)—1056(A)
Maxwell, Louis R. and V. M. Mosley. Internuclear distances in Se_2, Te_2, and HgCl by electron diffraction—21

——— **and V. M. Mosley.** Molecular structure of nitrogen dioxide and nitric acid by electron diffraction—1079(A)
Mayerhöfer, Josef (see Guth, Eugene)—908
McCreary, R. L., G. Kuerti and S. N. VanVoorhis. Positron energy distribution of Si^{27}—351(A)
McDaniel, P. W. (see Dickson, G.)—351(A)
——— (see Langer, L. M.)—347(A)
——— (see Mitchell, A. C. G.)—347(A), 1107
McGraw, D. A. (see Jones, C. C.)—1070(A)
McKeehan, L. W. Ferromagnetic anisotropy in body-centered cubic iron-nickel alloys—246(L)
——— Optical and magnetic properties of magnetite suspensions. Surface magnetization in ferromagnetic crystals—1177
McLean, W. B. (see Ellett, A.)—1083(A)
——— (see Young, V. J.)—1083(A)
———, **V. J. Young, W. L. Whitson, G. J. Plain and A. Ellett.** Resonance in the *B-P-α* reaction—1083(A)
McMaster, Harold and M. L. Pool. Some improvements in Geiger-Müller counter systems—356(A)
McMillan, Edwin and Philip Hauge Abelson. Radioactive element 93—1185(L)
McMillan, D. R., Jr. Infra-red absorption of methyl alcohol in the liquid state—941(A)
McNally, J. Rand, Jr. (see Harrison, George R.)—1074(A)
McNatt, E. M. X-ray dispersion in copper crystals—621
McNish, A. G. Physical representation of the geomagnetic field—1088(A)
McReynolds, A. W. (see Rogers, Marguerite M.)—379
Meek, J. M. Theory of spark discharge—247(A), 722
Meeks, W. W. and N. C. Jamison. Magnetic susceptibilities in weak fields—71(A)
Merwe, C. W. van der (see Bacon, R. H.)—240(L)
Metropolis, N. and H. Beutler. Absorption system of sulphur dioxide at 3800A—1078(A)
——— **and H. Beutler.** High power tungsten light source—355(A)
Michels, Walter C. and Norma L. Curtis. Lock-in amplifier for alternating-current measurements—1065(A)
Migdal, A. and J. Pomeranchuk. Note on the ends of the mesotron tracks observed in an expansion chamber—934(L)
Miller, Bertrund J. Effect of hyperfine structure upon the magnetic rotation of the plane of maximum polarization of resonance radiation—345(A)
Miller, P. H., Jr. and Harry Day. Self-diffusion in polycrystalline zinc—1067(A)
——— **and J. W. M. DuMond.** Tests for the validity of the x-ray crystal method for determining N and e with aluminum, silver and quartz—198
Millman, S. (see Kusch, P.)—352(A), 765
Mimno, H. R. (see Pierce, J. A.)—95
Minakawa, O. Neutron induced radioactivity of tungsten—1189(L)
Misch, L. (see Boyce, J. C.)—1073(A)
Mitchell, Allan C. G. (see Langer, L. M.)—347(A)
———, **L. M. Langer and P. W. McDaniel.** Investigation of beta- and gamma-rays from Sb^{122} and Sb^{124}—347(A)
———, **Lawrence M. Langer and Paul W. McDaniel.** Study of the nuclear radiations from antimony and arsenic—1107
Mitchell, F. H. Leader process in a long discharge tube—940(A)
——— Progressive breakdown in a long discharge tube—350(A)
Miyamoto, G. (see Sagane, R.)—750(L), 1179(L)
Mohler, Fred L. Recombination and electron attachment in the F_2 layer of the ionosphere—1071(A)
Molnar, J. P. and W. J. Hitchcock. Zeeman effect in rhodium at 95,000 gauss—564(A)
Monroe, A. M. (see Thaxton, Hubert M.)—246(L)
Montgomery, C. G. and D. D. Montgomery. Discharge mechanism of Geiger-Mueller counters—564(A), 1030
Montgomery, D. D. (see Montgomery, C. G.)—564(A), 1030
Moon, R. J. (see Simon, S. L.)—72(A)
Moore, B. L. Absorption measurements of beta-rays—355(A)
——— (see Holloway, M. G.)—1086(A)
Morgan, F., M. Muskat and D. W. Reed. Lubrication of plane sliders—357(A)
Morgan, K. Z. (see Nielsen, W. M.)—158(L)
Morrison, P. (see Cooper, E. P.)—249(A), 862
Mosley, V. M. (see Maxwell, Louis R.)—21, 1079(A)
Motz, Lloyd and Julian Schwinger. Neutron-deuteron scattering cross section—161(L)
Mouzon, J. C. Thermionic milliammeter for radiofrequency currents—943(A)
Mrozowski, S. Hyperfine structure of the quadrupole line 2815A and of some other lines of ionized mercury—207
——— Hyperfine structure of the quadrupole line 2815A of Hg II—253(A)
——— Nuclear isotopic shifts in the band spectra of HgH^+, HgD^+ and ZnH—253(A)
Mueller, E. F., Edward O. Sperling and D. C. Ginnings. Critical phenomena—1056(A)
Mueller, Hans. Influence of electrostatic fields on the elastic properties of Rochelle salt—842(L)
——— Properties of Rochelle salt—829
Mulliken, Robert S. Halogen molecule spectra. II. Interval relations and relative intensities in the long wave-length spectra—500
Mullin, Charles J. and E. Guth. Calculation of transmission coefficients and explanation of the periodic deviations from the Schottky line—349(A)
Murphy, Edgar J. (see Whitaker, Martin D.)—551(L)
Murray, M. J. (see Cleveland, Forrest F.)—70(A), 346(A), 565(A)
Muskat, M. (see Morgan, F.)—357(A)

Nafe, J. E. (see Baltzer, O. J.)—1048(L)
——— **and G. E. M. Jauncey.** Cause and removal of photographic reversal—1048(L)
Neddermeyer, S. H. (see Boggild, J. K.)—356(A)
Nelson, Eldred. Internal conversion in the L shell—252(A)
——— (see Alvarez, Luis W.)—660(L)
Nelson, Herbert. Field-enhanced secondary electron emission—560(A)

Nelson, H. R. Electron diffraction examination of electrolytically polished surfaces—559(A)
Nelson, Martin E. and Stanley S. Ballard. Spectrographic determination of vitamin A—253(A)
Nelson, R. B. and D. B. Langmuir. Crystal models for close-packed systems—559(A)
Newson, Henry W. and Lyle B. Borst. Experiments with radioactive recoil atoms—1083(A)
Nichols, M. H. Thermionic constants of tungsten as a function of crystallographic direction—297
Nielsen, Alvin H. Infra-red absorption spectrum of the deutero-acetylenes—346(A)
Nielsen, Harald H. New measurements on the vibration-rotation bands of water vapor—346(A)
Nielsen, W. M. Absorption of cosmic-ray shower particles—943(A)
———, **C. M. Ryerson, L. W. Nordheim and K. Z. Morgan.** Measurement of mesotron lifetime—158(L)
Nier, Alfred O. Coefficient of thermal diffusion of neon and its variation with temperature—338(L)
——— Concentration of carbon 13 by thermal diffusion—30, 358(A)
———, **E. T. Booth, J. R. Dunning and A. V. Grosse.** Further experiments on fission of separated uranium isotopes—748(L)
———, **E. T. Booth, J. R. Dunning and A. V. Grosse.** Nuclear fission of separated uranium isotopes—546(L)
Nishina, Y., Y. Sekido, H. Simamura and H. Arakawa. Air mass effect on cosmic-ray intensity—1050(L)
———, **Y. Sekido, H. Simamura and H. Arakawa.** Cosmic-ray intensities and air masses—663(L)
———, **T. Yasaki, H. Ezoe, K. Kimura and M. Ikawa.** Induced β-activity of uranium by fast neutrons—1182(L)
Nix, F. C., H. G. Beyer and J. R. Dunning. Neutron transmission studies in Fe-Ni alloys—566(A)
Nordheim, G. (see Sponer, H.)—942(A)
Nordheim, L. W. (see Bethe, H. A.)—998
——— (see Nielsen, W. M.)—158(L)
——— **and H. A. Bethe.** On the theory of meson decay—555(A)
Nordsieck, A. Electric quadrupole moment of deuteron—556(A)
Northrup, D. L. (see Van Atta, C. M.)—563(A)
———, **L. C. Van Atta, R. J. Van de Graaff and J. S. Clark.** Electrostatic generator for nuclear research at M.I.T.—563(A)
Nottingham, Wayne B. Additional experimental evidence of a periodic deviation from the "Schottky line."—1080(A)
——— Experiments on the periodic deviation from the "Schottky line"—935(L)

O'Bryan, H. M. Structure of the L absorption of sodium metal and its halides—557(A), 995
Oleson, N. L. (see Crane, H. R.)—13, 555(A), 664(L)
———, **K. T. Chao and H. R. Crane.** Multiple scattering of fast electrons—1063(A)
Olpin, A. R. Place of the physicist in industry—1053(T)
O'Neal, R. D. and M. Goldhaber. Radioactive hydrogen from the transmutation of beryllium by deuterons—1086(A)
Onsager, Lars. Separation of isotopes by thermal diffusion—562(A)
Oppenheimer, J. R. On the applicability of quantum theory to mesotron collisions—353(A)
———, **H. Snyder and R. Serber.** Production of soft secondaries by mesotrons—75
Osterberg, Harold. Some educational applications of optical instruments—944(T)

Pan, S. T., A. R. Kaufmann and F. Bitter. Ferromagnetic gold-iron alloys—569(A)
——— (see Kaufmann, A.)—569(A)
Pardue, Louis A. (see Gaerttner, E. R.)—386
Pardue, T. E. (see Jones, C. C.)—1070(A)
Parker, W. L. and L. W. Phillips. Magnesium-like spectra of chlorine, potassium, calcium and scandium—140
Parkins, Wm. E. and Lloyd P. Smith. High frequency square wave generator—1081(A)
Parratt, Lyman G. (see Randall, Charles A.)—786
Paul, Fred W. (see Charles, George W.)—345(A)
——— (see Polster, Harry D.)—345(A)
Pearson, G. L. Thermistors, their characteristics and uses—1065(A)
Perkins, H. A. and H. D. Doolittle. Effect of a current through an iron bar on residual magnetism—71(A)
Peterson, L. E., P. A. Guarino and E. A. Coomes. Electrolytic "polishing" of tungsten—1081(A)
Pfund, A. H. Physical methods of determining atmospheric contaminations—939(T)
Phillips, L. W. (see Parker, W. L.)—140
Phillips, M. On the magnetic moments of light nuclei—160(L)
Pierce, J. A. and H. R. Mimno. Reception of radio echoes from distant ionospheric irregularities—95
Pierce, J. R. Rectilinear electron flow in beams—1080(A)
Pierce, R. H. H., Jr. (see Austin, J. B.)—931
Pietenpol, W. B. and D. E. Billings. Anomalous effect in the viscosity of glass—357(A)
Piggot, C. S. (see Curtiss, L. F.)—457(L)
Placzek, G. (see Bethe, H. A.)—573
——— **and H. A. Bethe.** Elastic scattering of fast neutrons—1075(A)
Plain, G. J. (see Ellett, A.)—1083(A)
——— (see Hudson, Colin M.)—72(A), 587
——— (see McLean, W. B.)—1083(A)
——— (see Young, V. J.)—1083(A)
———, **R. G. Herb, C. M. Hudson and R. E. Warren.** Gamma-rays from aluminum due to proton bombardment—187
Pockman, Leonard T. Calcite diffraction patterns and x-ray line widths—353(A)
Podolsky, Boris and Herman Branson. On the quantization of mass—494
——— **and Kaiser S. Kunz.** Some properties of retarded and advanced potentials—349(A)

Pollard, Ernest. Energy and half-life of Be^{10}—241(L)
——— Energy of protons from phosphorus, chlorine and potassium under deuteron bombardment—1086(A)
——— Masses of stable nuclei from Ne^{20} to Fe^{57}—1186(L)
——— (see Watson, William W.)—1082(A)
——— **and William W. Watson.** Deuteron bombardment of the separated isotopes of neon—567(A)
———, **W. L. Davidson, Jr. and H. L. Schultz.** Protons from the transmutation of boron by deuterons—1117
Pollard, W. G. and H. Margenau. Van der Waals potentials at the surface of metals—557(A)
Pollock, H. C. Notes on the separation of alloys and isotopes by the centrifuge—935(L)
——— (see Kingdon, K. H.)—749(L), 1072(A)
Polster, Harry D. and Fred W. Paul. Excitation of high stages of ionization in gases—345(A)
Pomeranchuk, J. (see Migdal, A.)—934(L)
Pomerantz, Martin A. Instability of the meson—3
——— **and Thomas H. Johnson.** Relative meson stopping power of lead and water—555(A)
Pompeia, P. A. (see Wataghin, G.)—61(L), 339(L)
Pool, M. L. (see McMaster, Harold)—356(A)
——— (see Smith, Alpheus W.)—347(A)
Potapenko, G. (see Bateman, J. B.)—1185(L)
Potter, Robert D. What is news in physics—944(T)
Powell, Wilson M. Cloud-chamber study of heavy particle showers in lead plates—1053(T)
——— Cosmic-ray showers produced by mesotrons—1061(A)
Present, R. D. Interpretation of the proton-proton range—69(A)
——— **and J. K. Knipp.** On the dynamics of complex fission—751(L); 1188(L)
Preston, William M. Origin of radio fade-outs and the absorption coefficient of gases for light of wave-length 1215.7A—887
——— Spectrographic method for the measurement of the rate of recombination of atomic hydrogen—1074(A)
Prosen, E. J. R., R. G. Sachs and E. Teller. Van der Waals interaction of metals and molecules—1066(A)
Pugh, E. M. (see Butler, E. H., Jr.)—916
Purcell, E. M. Automatic tuning for the cyclotron—1070(A)

Quimby, Edith H. (see Failla, G.)—1055(A)

Rabi, I. I. (see Kellogg, J. M. B.)—677
——— (see Kusch, P.)—352(A), 765
Ramo, Simon (see Blewett, John P.)—635
Ramsey, N. F., Jr. (see Heydenburg, N. P.)—1077(A)
——— (see Kellogg, J. M. B.)—677
——— (see Salant, E. O.)—1075(A)
——— (see Van Allen, J. A.)—1069(A)
Ramsey, W. E. Measurements of discharge characteristics of Geiger-Mueller counters—563(A), 1022
——— Use of counters with equalized voltage pulses in the study of cosmic-ray showers—1061(A)
——— (see Swann, W. F. G.)—554(A), 749(L), 1051(L), 1061(A)
Randall, Charles A. and Lyman G. Parratt. $L\alpha$ satellite lines for elements Mo(42) to Ba(56)—786
Rasmussen, Ebbe. New energy levels in the silver atom—243(L)
——— On the spark spectrum of silver—840
Reed, D. W. (see Morgan, F.)—357(A)
Renzetti, Nicholas Augustus. Electric quadrupole moments of Ga^{69} and Ga^{71}. An atomic beam study of the hyperfine structures of the $^2P_{1/2}$ and $^2P_{3/2}$ states of Ga^{69} and Ga^{71}—753
——— **and Donald R. Hamilton.** Electric quadrupole moments of gallium (Ga^{69} and Ga^{71})—570(A)
Richardson, J. R. (see Goudsmit, S.)—1121
Richtmyer, R. D. Electromagnetic self-energy of mesotrons—413
Rinehart, John S. Temperature dependence of Young's modulus for single crystals of beta-brass—1084(A)
Risch, R. Force on the cathode of an arc—1181(L)
Risser, J. R., K. Lark-Horovitz and R. N. Smith. Activation of indium by alpha-particles—355(A)
Roberson, J. H. and J. E. Mack. Studies of coupling in W I from Paschen-back effect—1074(A)
Roberts, Arthur. Interval selector: A device for studying time distribution of pulses—564(A)
——— Use of interval selection in measuring short decay constants—1069(A)
Roberts, S. and A. von Hippel. Dielectric research at ultra-high frequencies with a new method—1056(A)
Rochester, J. D. (see Rossi, B.)—1062(A)
Rodgers, Eric. Probable error for Poisson distributions—735, 942(A)
Rogers, F. T., Jr. (see Rogers, Marguerite M.)—379
Rogers, L. H. Spectro-chemical analysis in agricultural research—939(T)
Rogers, Marguerite M., A. W. McReynolds and F. T. Rogers, Jr. Determination of the masses and velocities of three radium B beta-particles. The relativistic mass of the electron—379
Rollefson, R. and R. Havens. Index of refraction of methane in the infra-red and the dipole moment of the CH bond—710
Rose, M. E. On energy loss in the theory of multiple scattering—556(A)
——— On the resonance scattering of alpha-particles—958
——— Scattering and polarization of electrons—280, 349(A)
Rosen, N. General relativity and flat space. I—147; II—150
——— Note on ether-drift experiments—154
Rosenberg, Paul. Collision cross sections of Li atoms and Li_2 molecules scattered in He and in A—561(A)
Rossi, Bruno. Electrons arising from the disintegration of cosmic-ray mesotrons—469
——— System of units for nuclear and cosmic-ray phenomena—660(L)
———, **Norman Hilberry and J. Barton Hoag.** Variation of the hard component of cosmic rays with height and the disintegration of mesotrons—67(A), 461
———, **L. Jánossy, J. D. Rochester and M. Bound.** On the production of secondary ionizing particles by non-ionizing agents in the cosmic radiation—1062(A)

Ruark, Arthur E. Multiple scattering of charged particles—62(L)
——— (see Gautier, T. N.)—940(A), 1040
——— (see Jones, C. C.)—1070(A)
Ruben, Samuel and Martin D. Kamen. Radioactive carbon of long half-life—549(L)
Rudnick, Philip (see Ingersoll, L. R.)—70(A), 1145
Ruedy, J. E. Design and performance of an electron diffraction camera—1073(A)
Ryerson, C. M. (see Nielsen, W. M.)—158(L)

Sachs, R. G. Internal conversion in 6.4-hour Cd—159 (L)
——— Note on nuclear isomerism—194
——— (see Lyddane, R. H.)—1084(A)
——— (see Prosen, E. J. R.)—1066(A)
——— **and E. Teller.** Scattering of slow neutrons by molecules—1076(A)
Sagane, R., S. Kojima, G. Miyamoto and M. Ikawa. New radioactive isotope of masurium, $_{43}Ma^{101}$—750(L)
Sagane, R., S. Kojima, G. Miyamoto and M. Ikawa. Artificial radioactivity induced in Zr and Mo—1179(L)
Saini, H. (see Austin, J. B.)—931
Sakata, Shoichi and Yasutaka Tanikawa. Spontaneous disintegration of the neutral mesotron (neutretto)—548(L)
Salant, E. O. and N. Ramsey. Fast neutron collision cross sections of C and H—1085(A)
Sampson, J. B. (see Seitz, Frederick)—558(A), 1088(A)
——— **and Frederick Seitz.** Theoretical susceptibilities of metallic lithium and sodium—570(A)
Samuel, A. L. Vacuum tubes for decimeter waves—846(T)
Sanderson, J. A. Attenuation of infra-red light by fog—1060(A)
Santos, M. D. de Souza (see Wataghin, G.)—(61L), 339(L)
Sauer, J. A. Magnetic energy constants of dipolar lattices—142
Saunders, F. A. Vibration of violins—553(T)
Saunderson, J. L. (see Goudsmit, S.)—24, 73(A), 552(L)
——— **and O. S. Duffendack.** Scattering of fast electrons by thin foils of metal—68(A)
Sawyer, R. A. (see Boyd, R. A.)—1074(A)
Schein, Marcel, William P. Jesse and E. O. Wollan. Intensity and rate of production of mesotrons in the stratosphere—847
———, **William P. Jesse and E. O. Wollan.** Mesotron intensity and rate of production in the stratosphere—68(A)
Schiff, L. I. Field theories for charged particles of arbitrary spin—903
——— Scattering of light by liquid helium—844(L)
——— Spinor wave equations linear in the momentum—250(A)
———, **H. Snyder and J. Weinberg.** On the existence of stationary states of the mesotron field—315
Schremp, E. J. On the fine structure pattern of cosmic rays—1061(A)
Schuchard, E. A. (see Uehling, E. A.)—251(A)
Schultz, H. L. (see Pollard, Ernest)—1117
Schwinger, Julian (see Motz, Lloyd)—161(L)
Scott, W. T. and G. E. Uhlenbeck. Fluctuations in cosmic-ray showers—1061(A)
Seaborg, G. T. (see Kennedy, J. W.)—843(L)
———, **J. J. Livingood and J. W. Kennedy.** Radioactive isotopes of tellurium—363
Seaton, S. L. (see Booker, H. G.)—87
Seeger, R. J. and E. Teller. Electric breakdown of alkali halides—1084(A)
Segrè, Emilio (see Corson, D. R.)—459(L), 1087(A)
——— (see Langsdorf, Alexander, Jr.)—105
——— **and C. S. Wu.** Some fission products of uranium—552(L)
———, **K. R. MacKenzie and D. R. Corson.** Some chemical properties of element 85—1087(A)
Seitz, Frederick (see Huntington, H. D.)—559(A)
——— (see Sampson, J. B.)—570(A)
——— **and J. B. Sampson.** Effect of exchange on free electron diamagnetism—1088(A)
——— **and J. B. Sampson.** On the theory of dielectric breakdown in alkali halide crystals—558(A)
Sekido, Y. (see Nishina, Y.)—663(L), 1051(L)
Serber, R. (see Oppenheimer, J. R.)—75
Shaw, C. H. *K*-absorption edges of Br (35) and Kr (36)—877
——— (see Snyder, T. M.)—881
——— **and T. M. Snyder.** Electron scattering in bromine—1085(A)
——— **and T. M. Snyder.** *K*-absorption edges of Kr(36) and Br(35)—353(A)
Shear, Sidney K. and Alfred B. Focke. Dispersion of supersonic waves in cylindrical rods of polycrystalline silver, nickel and magnesium—532
Shenstone, A. G. Arc spectrum of silver—894
Sheppard, C. W. and W. A. Fowler. Multiple scattering of fast electrons—273
Sherr, R. Evidence for a new type of nuclear reaction—937(L)
Sherwin, Chalmers W. Cross section for change of charge and ionization by high velocity metallic ions in hydrogen and helium—814
Shortley, George H. Computation of quadrupole and magnetic-dipole transition probabilities—225
Shoupp, W. E. (see Haxby, R. O.)—348(A), 567(A), 1088(A)
——— (see Wells, W. H.)—347(A)
Shutt, Ralph P. Wilson cloud chamber for cosmic rays—554(A)
——— (see Johnson, Thomas H.)—1047(L), 1062(A)
Siegel, Sidney. Variation of the principal elastic moduli of Cu_3Au with temperature—358(A), 537
Siegel, Stanley S. and W. H. Zachariasen. Preliminary experimental studies of the new diffraction maxima in x-ray photographs—66(A), 795
Siegert, A. (see Bloch, F.)—522
Simamura, H. (see Nishina, Y.)—663(L), 1050(L)
Simon, Ralph (see Watson, William W.)—708
Simon, S. L., P. R. Bell, R. J. Moon and L. Slotin. Analysis of a class C radiofrequency power amplifier—72(A)
Sinclair, David. New optical method for the determination of the principal stress sum—564(A)

Skaggs, Lester S. (see Allison, Samuel K.)—158(L), 550(L)
——— **and E. R. Graves.** Excited state of Li^7 from the reaction $Be^9(d,\alpha)Li^7$ —1087(A)
Slack, F. G. (see Ingersoll, L. R.)—1145
Skarstrom, C. and J. W. Beams. Electric ultracentrifuge motor—1057(A)
Slater, J. C. Note on Grüneisen's constant for the incompressible metals—744
Slepian, Joseph and W. M. Brubaker. Calculation of the efficiency of a condensing surface as a function of the observed yield—250(A)
Slotin, L. (see Simon, S. L.)—72(A)
Smith, A. E. (see Beeck, Otto)—248(A)
Smith, Alpheus W. and M. L. Pool. Ohio State University cyclotron—347(A)
Smith, C. G. Acceleration and average cross drift of electrons in a magnetic field—1064(A)
Smith, Cyril Stanley. Structure and ferromagnetism of cold-worked copper containing iron—337(L)
Smith, E. H. On the resonant frequency of a type of Klystron resonator—1080(A)
Smith, Lincoln G. and V. Williams. Rotational structure of the fundamental ν (C−H) vibration band of formic acid —1078(A)
Smith, Lloyd P. (see Finkelstein, A. T.)—563(A)
——— (see Parkins, Wm. E.)—1081(A)
Smith, Nicholas M., Jr. (see Allison, Samuel K.)—550(L)
Smith, R. N. (see Risser, J. R.)—355(A)
Snoddy, L. B. and J. W. Beams. Laboratory study of spark discharge between conducting clouds—63(L)
——— **and V. C. Snoddy.** Determination of auroral intensity by a photometric method—943(A)
———, **Hugh F. Henry and J. W. Beams.** Electrical discharge on liquid surfaces—350(A)
Snoddy, V. C. (see Snoddy, L. B.)—943(A)
Snyder, H. (see Oppenheimer, J. R.)—75
——— (see Schiff, L. I.)—315
——— **and J. Weinberg.** On the energy levels of particles without spin—251(A)
——— **and J. Weinberg.** Stationary states of scalar and vector fields—307
Snyder, T. M. (see Shaw, C. H.)—353(A), 1085(A)
——— **and J. A. Bearden.** *L* x-ray transitions involving the conduction bands of W and Pt.—1085(A)
——— **and C. H. Shaw.** Fine structure of the x-ray absorption limits of bromine and chlorine—881
Spees, A. H. and C. T. Zahn. Specific charge of the positron —72(A)
Spencer, Raymond G. and J. Wallace Marshall. Study of the changes produced in metals by hammering—354(A)
——— **and J. Wallace Marshall.** X-ray study of fatigue in aluminum—1085(A)
Sperling, Edward O. (see Mueller, E. F.)—1056(A)
Sponer, E. and S. H. Wollman. Absorption spectrum of monochlorobenzene at 2750–2400A—1078(A)
———, **G. Nordheim and E. Teller.** Note on the ultraviolet absorption systems of benzene vapor—942(A)
Squire, Charles F. Characteristics of a low cost hydrogen liquefier—1058(A)
Stahel, E. and J. Guillissen. Bremsstrahlung of RaE—341(L)
Stanford, Spencer C. (see Gordy, Walter)—346(A)
Starr, C. (see Kaufmann, A.)—569(A)
———, **F. Bitter and A. Kaufmann.** Magnetic properties of the anhydrous chlorides of the iron group at low temperatures—1089(A)
———, **F. Bitter and A. Kaufmann.** Magnetic susceptibility of some salts of the iron group at low temperature —569(A)
Staub, H. and H. Tatel. Resonance scattering of neutrons in helium—936(L)
Stearns, J. C. (see Josephson, Vernal)—335(L)
Steigman, J. (see Glasoe, G. N.)—566(A)
Stephens, W. E. Effect on the Coulomb force on binding energies of light nuclei—938(L)
——— (see Haxby, R. O.)—348(A), 567(A), 1088(A)
——— (see Wells, W. H.)—347(A)
Stephenson, S. T. *K* emission and absorption: Fine structure of copper—353(A)
Stern, Alexander W. Nuclear electron showers—339(L)
Stone, Albert M. and Edward S. Lamar. Positive column of the nitrogen arc at atmospheric pressure. II—212
Stratton, J. A. and L. J. Chu. Calculation of driving-point impedance in electromagnetic field problems—1080(A)
Strohmeyer, L. J. and R. D. Huntoon. Hard vacuum tube pulse equalizing, sharpening circuit—1069(A)
Strong, John and Barry Dibble. Optical properties of evaporated silver films—247(A)
——— **and Kenichi Watanabe.** Pressure effect on infra-red absorption—1049(L)
Stuhlman, Otto, Jr. Mechanical characteristics of the human stapes—941(A)
——— (see Lyddane, R. H.)—940(A)
Sumerlin, W. T. (see Bradbury, N. E.)—249(A)
Sugimoto, Asao (see Amaki, Toshio)—751(L)
Suits, C. G. Effect of thermal environment on electrical properties of arcs—1064(A)
Sullivan, R. R. and K. L. Hertel. Flow of air through porous media—943(A)
Sutton, R. A. (see Barkas, W. H.)—1087(A)
——— (see Creutz, E. C.)—567(A)
Sutton, Richard M. Device for viewing of slow rotary motions—357(A)
Swann, W. F. G. and W. E. Ramsey. Further evidence for the existence of mesotron showers—1051(L)
——— **and W. E. Ramsey.** Further evidence of mesotron showers—1061(A)
——— **and W. E. Ramsey.** Shower production by mesotrons in different material—554(A), 749(L)

Tanikawa, Yasutaka (see Sakata, Shoichi)—548(L)
Tate, John T. (see Hagstrum, Homer D.)—561(A), 1071(A)
——— (see Mann, Marvin M.)—561(A)
——— **and Homer D. Hagstrum.** Electron impact study of O_2 with a mass spectrometer—1071(A)
Tatel, H. (see Cork, J. M.)—348(A), 371
——— (see Staub, H.)—936(L)

Taub, A. H. Solutions of equations for particles of spin zero or one when no field is present—807
Taylor, Lauriston S. New x-ray laboratory of the National Bureau of Standards—1056(A)
Taylor, L. W. Two aids to laboratory instruction—1053(T)
Teller, Edward. On the determination of the nuclear quadrupole moments by the molecular beam method—556(A)
——— (see Inglis, D. R.)—568(A), 1154
——— (see Lyddane, R. H.)—1084(A)
——— (see Prosen, E. J. R.)—1066(A)
——— (see Sachs, R. G.)—1076(A)
——— (see Seeger, R. J.)—1084(A)
——— (see Sponer, H.)—942(A)
Thaxton, H. M. (see Breit, G.)—255
——— **and A. M. Monroe.** Proton-proton and proton-neutron interactions for the Morse potential—246(L)
Thiessen, George J. Bragg reflection of neutrons from MgO crystals—1076(A)
Thompson, Everett. Impedance bridge—1053(T)
Thompson, F. C. (see Walke, H.)—171, 177
Thompson, L. Classical theory of shock and the theory of a propagated discontinuity—1058(A)
Thorndike, Alan M. (see Van Dyke, Karl S.)—560(A)
Tiedeman, John A. Linear densitometer—942(A)
Tolman, Richard C. On the establishment of grand canonical distributions—1160
Tomboulian, D. H. and Willoughby M. Cady. *L* emission band of aluminum—1055(A)
Tongiorgi, Vanna (see Cocconi, Giuseppe)—1180(L)
Tonks, L. (see Cummings, C. S.)—1064(A)
Torreson, O. W. (see Wait, G. R.)—1071(A)
Tousey, Richard. Optical constants of quartz for the extreme ultraviolet—1060(A)
Tregidga, Angus C. Dielectric constant of water vapor at frequency of 42 megacycles—294
Turner, Louis A. Missing heavy nuclei—950
——— Nonexistence of transuranic elements—157(L)
——— Secondary neutrons from uranium—334(L)
Tykociner, J. T. and L. R. Bloom. Effect of deuterium and of electrical discharges in deuterium oxide on the sensitization of photoelectric cells—571(A)
———, **Jakob Kunz and L. P. Garner.** Sensitization of photoelectric surfaces by electric discharges in water vapor and atomic hydrogen—565(A)

Uehling, E. A. and E. A. Schuchard. Exact solution of the Boltzmann equation applicable to the diffusion of neutrons—251(A)
Uhlenbeck, G. E. (see Konopinski, E. J.)—1082(A)
——— (see Scott, W. T.)—1061(A)
Underwood, N. (see Ingersoll, L. R.)—1145
Underwood, Newton and Clifford Beck. Method for measuring the optical rotatory power of crystals in the ultraviolet—941(A)

Valley, G. E. Abundance of molybdenum isotopes—1058(A)
Van Allen, J. A. and N. F. Ramsey, Jr. Technique for counting high energy protons in the presence of fast neutrons—1069(A)
Van Atta, C. M., R. J. Van de Graaff, L. C. Van Atta and D. L. Northrup. Progress report on the high voltage production of positive ion and electron beams—563(A)
Van Atta, L. C. (see Northrup, D. L.)—563(A)
——— (see Van Atta, C. M.)—563(A)
Van de Graaff, R. J. (see Northrup, D. L.)—563(A)
——— (see Van Atta, C. M.)—563(A)
Van Dyke, Karl S. and Alan M. Thorndike. Three-crystal method of quartz resonator measurement—560(A).
Van Vleck, J. H. Errata: Paramagnetic relaxation times for titanium and chrome alum—1052(L)
——— Paramagnetic relaxation and the equilibrium of lattice oscillators—570(A)
——— Paramagnetic relaxation times for titanium and chrome alum—426
——— (see Finkelstein, R.)—557(A)
Van Voorhis, S. N. (see McCreary, R. L.)—351(A)
Varney, Robert N. Ionization by positive ions in atmospheric sparks—72(A)
——— (see Berry, H. W.)—1063(A)
——— (see Karr, H.)—1064(A)
——— **and G. E. M. Jauncey.** Scattering of potassium ions from argon—1084(A)
Vašiček, Antonin. New method for investigating the refractive index and the thickness of thin interference films on glass—925
Vinal, George W. (see Brickwedde, Langhorne H.)—1064(A)
Volkoff, G. M. On the theory of the Oppenheimer-Phillips process—252(A)
——— Oppenheimer-Phillips process—866
Vore, M. P. (see Haworth, L. J.)—1075(A)
——— (see Manley, J. H.)—1075(A)

Wait, G. R. and O. W. Torreson. Recombination of ions from gas flames—1071(A)
Waithman, V. B. and W. R. Baker. Probe measurements in point-to-plane corona discharge in air—252(A)
Waldman, Bernard (see Collins, George B.)—1088(A)
——— **and George B. Collins.** Nuclear excitation of lead by x-rays—338(L)
Walke, Harold. Radioactive isotopes of scandium and their properties—163
———, **F. C. Thompson and J. Holt.** *K*-electron capture and internal conversion in Cr^{51}—171
———, **F. C. Thompson and J. Holt.** Radioactive isotopes of calcium and their suitability as indicators in biological investigations—177
Wallace, P. R. (see Infeld, L.)—797
Wangsgard, Alton P. X-ray study of the A_3 point of pure iron using the Geiger-Mueller counter—559(A)
Warburton, F. W. Magnetic forces—350(A)
Warren, R. E. (see Plain, G. J.)—187
Wataghin, G., M. D. de Souza Santos and P. A. Pompeia. Simultaneous penetrating particles in the cosmic radiation—61(L); II—339(L)
Watanabe, Henichi (see Strong, John)—1049(L)
Watson, William W. Thermal separation of isotopes—562(A), 899
——— (see Pollard, Ernest)—567(A)

——— **and Ernest Pollard.** Mass and beta-ray energies of Ne^{22}—1082(A)
——— **and Ralph Simon.** Spectra of lead hydride and tin hydride in the near infra-red—708
Way, Katherine (see Jones, C. C.)—1070(A)
Weber, Alfred H. Vapor pressure of bismuth between 603° and 638°C—357(A)
——— **and S. C. Kirsch, S. J.** Vapor pressure of liquid bismuth between 603° and 638°C—1042
Weigle, J. (see Austin, J. B.)—931
Weinberg, J. (see Schiff, L. I.)—315
——— (see Snyder, H.)—251(A), 307
Weiss, R. A. Temperature variation in the specific heat of some bases by a new method—942(A)
Weisskopf, V. F. On the charge distribution of elementary particles—1066(A)
——— **and D. H. Ewing.** On the yield of nuclear reactions with heavy elements—472; Erratum—935(L)
Weissler, Gerhard L. Onset of positive point-to-plane corona in pure A, N_2, H_2 and in dry air at 350 mm pressure—253(A)
——— Positive point-to-plane corona in pure A, H_2 and N_2—340(L)
Weller, R. Deflection measurements by mechanical interferometry—251(A)
Wells, W. H. (see Haxby, R. O.)—348(A), 567(A), 1088(A)
———, **R. O. Haxby, W. E. Shoupp and W. E. Stephens.** Performance of Westinghouse electrostatic generator up to 3.7 mv.—347(A)
Welton, T. A. (see Bartlett, J. H., Jr.)—1063(A)
Wensel, H. T. (see Brackett, F. S.)—1059(A)
Wet, J. S. de. On the connection between the spin and statistics of elementary particles—646
Wheeler, John A. Fission of heavy nuclei—553(T)
——— Problem of the scattering of fast electrons—352(A)
Whitaker, Martin D. (see Beyer, Harold G.)—976
——— **and William C. Bright.** Angular distribution of slow neutrons scattered from various materials—1076(A)
———, **William C. Bright and Edgar J. Murphy.** Transmission of neutrons of different energies through quartz crystals—551(L)
White, M. G. (see Barkas, W. H.)—562(A)
Whitmer, Robert M. Transformations of matter-radiation gas mixtures—66(A), 516
Whitson, W. L. (see McLean, W. B.)—1083(A)
Wick, G. C. (see Ageno, M.)—945
Wildhack, W. A. Proton-deuteron transformation as a source of energy in dense stars—81
Wilkins, T. R. (see Kuerti, G.)—1081(A)
——— **and G. Kuerti.** Determination of a nuclear energy level from the energy spectrum of scattered particles—1082(A)
Willard, Gerald W. Ultrasonic velocity and absorption in liquids—1057(A)
Williams, Dudley. Infra-red absorption of ammonium halides—565(A)
——— Infra-red spectrum of potassium cyanate—1077(A)
——— Vibrationless support for galvanometers—942(A)
Williams, E. C. (see Givens, J. W.)—247(A)
Williams, V. (see Smith, Lincoln G.)—1078(A)
Winans, J. G., Francis J. Davis and Victor A. Leitzke. Band spectra and sensitized fluorescence of mercury-indium mixture—70(A)
———, **Francis J. Davis and Victor A. Leitzke.** Absorption spectrum of HgIn and HgTl—1079(A)
Woernley, Donald L. (see Hector, L. Grant)—1056(A)
Wold, Peter I. Nonlinear resistance elements in circuit networks—351(A)
Wollan, E. O. (see Schein, Marcel)—68(A), 847
Wollman, S. H. (see Sponer, H.)—1078(A)
Wooldridge, D. E. Temperature effects on the secondary emission from pure metals—1080(A)
Worley, R. E. (see Jenkins, F. A.)—253(A)
Wrenshall, Gerald A. Collisions of alpha-particles with carbon nuclei—1095
——— (see Hansen, Wilbur)—750(L)
Wu, C. S. (see Segrè, E.)—552(L)

Yasaki, T. (see Nishina, Y.)—1182(L)
Yost, W. Jacque. Self-consistent field for doubly ionized magnesium—557(A)
Young, Gale. On the mechanics of protoplasmic streaming—67(A)
——— Streaming of the solvent in a diffusion field—73(A)
Young, L. A. Self-consistent field for methane—1079(A)
Young, T. Fraser (see Harkins, William D.)—1067(A)
Young, V. J. (see Ellett, A.)—1083(A)
——— (see McLean, W. V.)—1083(A)
———, **G. J. Plain, W. B. McLean and A. Ellett.** Distribution in angle of alpha-particles from Li^7+H^1—1083(A)

Zacharias, J. R. (see Kellogg, J. M. B.)—677
——— **and J. M. B. Kellogg.** Nuclear magnetic moment of N^{15}—570(A)
Zachariasen, W. H. New general effect in the diffraction of x-rays by crystals—66(A)
——— Theoretical study of the diffuse scattering of x-rays by crystals—597
——— (see Siegel, S. S.)—66(A), 795
Zahn, C. T. (see Spees, A. H.)—72(A)

Analytic Subject Index to Volume 57

References with (A) are to abstracts of papers presented at meetings of the American Physical Society.
References with (L) are to Letters to the Editor.

Absorption
- In glucose glass, near infra-red, W. M. Cohn—355(A)
- Of infra-red by fog, J. A. Sanderson—1060(A)
- Of infra-red in atmosphere, J. Strong, K. Watanabe—1049(L)
- Law for total radiation, W. P. Berggren—1183(L)
- Of wave-length 1215.7A in N_2, O_2, CO_2, and H_2O, W. M. Preston—887

Acoustics
- Absorption in CO_2, R. W. Leonard—253(A)
- Absorption of supersonic waves, G. K. Hartmann, A. B. Focke—221
- Dispersion of supersonic waves, metal rods, S. K. Shear, A. B. Focke—532; G. S. Field—1188(L)
- Human stapes, O. Stuhlman, Jr.—941(A)
- Propagated discontinuity, theory of shock, L. Thompson—1058(A)
- Ultrasonic absorption, measurement of, E. C. Gregg—1053(A)
- Velocity and absorption in liquids, ultrasonic, G. W. Willard—1057(A)
- Wave equation in region with perturbed boundaries, H. Feshbach, A. M. Clogston—1058(A)
- Waves with irregular boundaries, R. H. Bolt—1057(A)

Activated gases
- Thermal activation of O_2, H. D. Hagstrum, J. T. Tate—1071(A)

Aerodynamics (see also **Hydrodynamics**)
- Of golf balls, J. M. Davies—1057(A)

Afterglow
- New phenomena, J. Kaplan—662(L)

Astrophysics
- Cross section of $N^{15}(p,\alpha)C^{12}$, M. G. Holloway, H. A. Bethe—747(L)
- Electrical fields in interstellar space, F. Evans—69(A)
- Energy in dense stars; H and H reaction, W. A. Wildhack—81
- Matter-radiation gas mixtures, R. M. Whitmer—516
- Radius discrepancy for sirius B, R. E. Marshak—69(A)

Atomic and molecular beams
- Efficiency of condensing surface, J. Slepian, W. M. Brubaker—250(A)
- Of Li and Li_2 in He and in A, P. Rosenberg—561(A)

Atomic form factors
- Of Zn in ZnO, C. H. Ehrhardt, K. Lark-Horovitz—603

Atomic mass (see **Isotopes**)

Atomic structure (see also **Spectra, atomic**)
- Electron configuration of Gd II, W. E. Albertson, H. Bruynes, R. Hanau—292
- Levels in solid chrome alum, R. Finkelstein, J. H. Van Vleck—557(A)

Aurora
- Intensity by photometric method, L. B. Snoddy, V. C. Snoddy—943(A)

Biophysics
- ${}_5B^{10}$+slow ${}_0n^1$, reaction *in vivo*, P. G. Kruger—250(A)
- Cause of phagocytosis, R. H. Lyddane, O. Stuhlman, Jr.—940(A)
- Heat sensation, L. P. Granath, C. M. Herget, J. D. Hardy—1059(A)
- Human stapes, O. Stuhlman, Jr.—941(A)
- Interparticle separations for tobacco mosaic virus, I. Fankuchen—359(A)
- Mechanics of protoplasmic streaming, G. Young—67(A)
- Radioactive Ca as indicator, H. Walke, F. C. Thompson, J. Holt—177
- Skin damage by secondary electrons, G. Failla, E. H. Quimby—1055(A)
- Spectrographic determination of vitamin A, M. E. Nelson, S. S. Ballard—253
- Spectrum of cystine and deuterium cystine, C. M. Herget, J. D. Hardy—1078(A)
- Streaming of solvent, G. Young—73(A)
- Use of radioactive isotopes, G. Hevesy—240(L)
- X-ray diffraction maxima from tobacco mosaic virus, I. Fankuchen—354(A)

Brownian movement
- Influence of light on diffusion, F. Ehrenhaft—1050(L)

Chemical reactions
- Properties of element 85, E. Segrè, K. R. MacKenzie, D. R. Corson—1087(A)

Collision diameter (see **Scattering of atoms; etc.**)

Conductivity, electrical (see **Electrical conductivity; Discharge of electricity in gases**)

Constants, physical, standards
- Fine structure constant, A. Landé—345(A), 1074(A)
- Ratio of c, e, and h, A. Landé—562
- Representation of relations between constants, R. T. Birge—250(A)
- Validity of x-ray crystal methods, P. H. Miller, Jr., J. W. M. DuMond—198
- Velocity of light, W. C. Anderson—1060(A)

Contact potentials
- Between Ba and Zn, P. A. Anderson—122

Cosmic radiation
- Absorption of hard component, M. Ageno, C. Bernardini, N. B. Cacciapuoti, B. Ferretti, G. C. Wick—945, B. Rossi, H. Van N. Hilberry, J. B. Hoag—67(A), 461
- Absorption of shower particles, W. M. Nielsen—943(A)
- Air mass effect, D. H. Loughridge, P. Gast—249(A); Y. Nishina, Y. Sekido, H. Simamura, H. Arakawa—663(L), 1050(L)
- Cascade showers, theory of, H. A. Bethe—1062(A)
- Cloud chamber, R. P. Shutt—554(A)

Cosmic radiation (continued)
Cloud-chamber photographs at 29,300 feet, G. Herzog—337(L)
Collision energy loss of electrons, J. K. Boggild, I. C. Kuo, S. H. Neddermeyer, C. D. Anderson—356(A)
Components at sea level, G. Cocconi, V. Tongiorgi—1180(L)
Contribution of showers to coincidences, J. G. Barry, T. H. Johnson—555(A); T. H. Johnson, J. G. Barry—245(L)
Counters with equalized voltage pulses, W. E. Ramsey—1061(A)
East-west asymmetry, P. S. Gill—68(A)
Electrical fields in interstellar space, F. Evans—69(A)
Electron showers, A. W. Stern—339(L)
Electrons from disintegration of mesotrons, B. Rossi—469
Energy losses in condensed materials, O. Halpern, H. Hall—459(L)
Fine structure pattern, E. J. Schremp—1061(A)
Fine structure in zenith angle distribution, D. M. Cooper—68(A)
Fluctuations, W. T. Scott, G. E. Uhlenbeck—1061(A)
Intensity and upper air pressure and temperatures, N. F. Beardsley—336(L)
Magnetic storm effect, D. H. Loughridge, P. F. Gast—938(L)
Mesotron disintegration, B. Rossi, H. Van N. Hilberry, J. B. Hoag—67(A), 461
Mesotron intensity in stratosphere, M. Schein, W. P. Jesse, E. O. Wollan—68(A), 847
Mesotron showers, W. F. G. Swann, W. E. Ramsey—1051(L), 1061(A); W. M. Powell—1061(A)
Neutron measurements, interpretation of, H. A. Bethe, S. A. Korff, G. Placzek—573
Periodic orbits in field of dipole, O. Godart—1062(A)
Positive and electron component, D. J. Hughes—356(A), 592
Production of neutrons, S. A. Korff—555(A)
Proton component, T. H. Johnson, J. G. Barry, R. P. Shutt—1047(L)
Proton-proton range, R. D. Present—69(A)
Seasonal and temperature effect, V. F. Hess—781
Secondary ionizing particles, B. Rossi, L. Jánossy, J. D. Rochester, M. Bound—1062(A)
Shower by mesotrons in different material, W. F. G. Swann, W. E. Ramsey—554(A), 749(L)
Simultaneous penetrating particles, G. Wataghin, M. D. de Souza Santos, P. A. Pompeia—61(L), 339(L); V. Josephson, D. K. Froman, J. C. Stearns—335(L)
Soft secondaries, J. R. Oppenheimer, H. Snyder, R. Serber—75
System of units, B. Rossi—660(L)
Time variations, W. P. Jesse—356(A)

Crystal structure
Models for close-packed systems, R. B. Nelson, D. B. Langmuir—559(A)

Crystalline state
Absorption spectra of ZnS phosphors, C. J. Brasefield—162(L)
A_3 point of pure Fe, A. P. Wangsgard—559(A)
Bearing alloys, theory of, S. Kyropoulos—248(A)
Changes in metals by hammering, R. G. Spencer, J. W. Marshall—354(A)
Cold-worked Cu containing Fe, C. S. Smith—337(L)
Constants of heavy-water Rochelle salt, A. N. Holden, W. P. Mason—54
Dark current in willemite crystal, R. C. Herman, R. Hofstadter—936(L)
Diffusion in alloys, H. B. Huntington, F. Seitz—559(A)
Electric breakdown of alkali halides, R. J. Seeger, E. Teller—1084(A)
Electric field in $CuSO_4 : 5H_2O$, O. M. Jordahl—349(A)
Electrolytically polished surfaces, diffraction examination, H. R. Nelson—559(A)
Electron free paths in NaCl, J. Evans—47
Electron waves in ionic crystals, A. von Hippel, J. W. Davisson—156(L)
Equation of state, H. F. Ludloff—558(A)
Exchange energy of electrons, C. Herring, A. G. Hill—1080(A)
Grüneisen's constant for incompressible metals, J. C. Slater—744
Lambda-point transition in NH_3Cl, A. W. Lawson—559(A)
Magnetic energy of dipolar lattices, J. A. Sauer—142
Optical properties of nickel sulphate, L. R. Ingersoll, P. Rudnick, F. G. Slack, N. Underwood—1145
Order in Cu-Au alloys, L. H. Germer, F. E. Haworth—354(A)
Properties of Rochelle salt, H. Mueller—829
Rectifying action in Cu_2O, J. M. Lambert—73(A)
NaCl at high pressures, R. W. Goranson, E. A. Johnson—845(L); R. B. Jacobs—1046(L)
Superstructure in Ni_4Fe, E. M. Grabbe—728
Vitrification of water, B. J. Luyet—357(A)
Wave functions in crystals, C. Herring—1169
X-ray and optical determination of thermal expansion, J. B. Austin, H. Saini, J. Weigle, R. H. H. Pierce, Jr.—931
Young's modulus; order-disorder in crystals, J. S. Rinehart—1084(A)

Dielectric constants (see also **Dielectrics and dielectric properties**)
Constants of heavy-water Rochelle salt, A. N. Holden, W. P. Mason—54
Of eight gases, L. G. Hector, D. L. Woernley—1056(A)

Dielectrics and dielectric properties
After-effects in solids, B. Gross—57
Amino-acids and dipeptides, J. B. Bateman, G. Potapenko—1185(L)
Breakdown strength, glasses *versus* crystals, A. von Hippel, R. J. Maurer—1056(A)
Dielectric research at high frequencies, S. Roberts, A. von Hippel—1056(A)
Dipole moment of CH bond, R. Rollefson, R. Havens—710
Electric breakdown of alkali halides, R. J. Seeger, E. Teller—1084(A)

Dielectrics and dielectric properties (continued)
Local field in polarized dielectrics, G. Jaffé—558(A)
Theory of dielectric breakdown, F. Seitz, J. B. Sampson—558(A)
Of rutile, TiO_2, L. J. Berberich, M. E. Bell—350(A)
Of H_2O at 42 megacycles, A. C. Tregidga—294
Diffusion (see also **Thermal Diffusion**)
And Boltzmann equation, E. A. Uehling, E. A. Schuchard—251(A)
Generalized theory, E. J. Hellund—319, 328
Osmotic diffusion in gases, E. J. Hellund—737
Self-diffusion in Zn, P. H. Miller, Jr., H. Day—1067(A); F. R. Banks, H. Day—1067(A)
Streaming in a diffusion field, G. Young—73(A)
In substitutional alloys, H. B. Huntington, F. Seitz—559(A)
Discharge of electricity in gases
Anode effect, function of temperature, P. L. Copeland—72(A), 625
Breakdown in long discharge tube, F. H. Mitchell—350(A)
Characteristics of G-M counters, S. C. Brown, A. F. Kip—1069(A); R. D. Heidenreich—1069(A); H. McMaster, M. L. Pool—356(A); C. G. Montgomery, and D. D. Montgomery—564(A), 1030; W. E. Ramsey—563(A), 1022
Between conducting clouds, L. B. Snoddy, J. W. Beams—63(L); between confocal paraboloids, K. E. Fitzsimmons—251(A)
Discharge on liquid surfaces, L. B. Snoddy, H. F. Henry, J. W. Beams—350(A)
Drift of electrons in magnetic field, C. G. Smith—1064(A)
Dynatron hysteresis, P. L. Copeland, J. M. Kubert—1065(A)
Fluctuations in space-charge limited current, H. W. Berry, R. N. Varney—1063(A)
Force on cathode, R. Risch—1181(L)
Influence of discharge chamber, S. Githens, Jr.—822
Ionization by positive ions, R. N. Varney—72(A)
Leader process, F. H. Mitchell—940(A)
Longitudinal magnetic field, low pressure arc, C. S. Cummings, L. Tonks—1064(A)
Point-to-plane corona, V. B. Waithman, W. R. Baker—252(A); G. L. Weissler—253(A), 340(L)
Positive column in N_2, A. M. Stone, E. S. Lamar—212
Resonance radiation, production of, C. G. Found, E. F. Hennelly—560(A)
Space charge neutralization by ions, H. Karr, R. N. Varney—1064(A)
Spark discharge, theory of, J. M. Meek—247(A), 722
Thermal environment, properties of arcs, C. G. Suits—1064(A)
Through oxygen flames, F. L. Brown—942(A)
Time-lag in Townsend discharge, R. W. Engstrom—73(A)
Discharge of electricity in high vacuum (see also **Thermionic emission; High voltage tubes and machines**)
Electron flow in beams, J. R. Pierce—1080(A)
Disintegration and excitation of nucleus (see also **Radioactivity**)
α-particles from Be, S. K. Allison, E. R. Graves, L. S. Skaggs—158(L)
Angle distribution of α-particles from $F^{19}+H^1$, A. Ellett, W. B. McLean, V. J. Young, G. J. Plain—1083(A)
Angle distribution of α-particles from Li^7+H^1, V. J. Young, G. J. Plain, W. B. McLean, A. Ellett—1083(A)
Be (p,n) threshold, R. O. Haxby, W. E. Shoupp, W. E. Stephens, W. H. Wells—567(A)
Cross section of $N^{15}(p,\alpha)C^{12}$, M. G. Holloway, H. A. Bethe—747(L)
Of C^{12}, C^{13}, and O^{16} by deuterons, M. G. Holloway, B. L. Moore—1086(A)
Disintegration of mesotron, B. Rossi, N. Hilberry, J. B. Hoag—67(A), 461; Shoichi Sakata, Yasutaka Tanikawa—548(L)
Energy of neutrons from (p,n) reactions, J. E. Hill—1076(A)
Energy of protons, E. Pollard—1086(A)
Energy release in $Be^9(d,\alpha)Li^7$; production of Li^7, E. R. Graves—855
Excitation of 455-kev level of Li^7, C. M. Hudson, R. G. Herb, G. J. Plain—587
Excitation of In by electrons, G. B. Collins, B. Waldman—1088(A)
Excitation of Pb by x-rays, B. Waldman, G. B. Collins—338(L)
Excitation of Li^7, C. M. Hudson, R. G. Herb, G. J. Plain—72(A)
Excitation by particles without penetration, E. Feenberg—348(A)
$_5B^{10}+$slow $_0n^1$ reaction *in vivo*, P. G. Kruger—250(A)
γ-rays from Al, G. J. Plain, R. G. Herb, C. M. Hudson, R. E. Warren—187
γ-rays from carbon, W. E. Bennett, T. W. Bonner—1086(A)
Li and $C(p,n)$ thresholds, R. O. Haxby, W. E. Shoupp, W. E. Stephens, W. H. Wells—348(A)
Missing heavy nuclei, L. A. Turner—157(L), 950
New type of reaction, R. Sherr—937(L)
Of N^{14} and N^{15} by deuterons, M. G. Holloway—347(A)
Nuclear electron showers, A. W. Stern—339(L)
Oppenheimer-Phillips process, G. M. Volkoff—252(A), 866
Probability of loss of neutrons and alpha-particles, J. M. Cork, J. Halpern—667
Production of F^{18}, W. L. Davidson, Jr.—1086(A)
Protons from boron, E. Pollard, W. L. Davidson, Jr., H. L. Schultz—1117
P-n reactions in Li or Be, J. E. Hill—567(A)
Proton-proton range, R. D. Present—69(A)
Resonance in *B-P-*α reaction, W. B. McLean, V. J. Young, W. L. Whitson, G. J. Plain, A. Ellett—1083(A)
Resonance capture of neutrons by U, H. L. Anderson—566(A)
Resonances, deuterons on carbon, T. W. Bonner, E. Hudspeth—1075(A)
Of separated Ne isotopes, E. Pollard, W. W. Watson—567(A)

Disintegration and excitation of nucleus (continued)
Yield of nuclear reactions, V. F. Weisskopf, D. F. Ewing —472
Dissociation
Of NH_3 by electrons, M. M. Mann, A. Hustrulid, J. T. Tate—561(A)
Of B_2H_6, J. A. Hipple, Jr.—350(A)
Of NO by electrons, H. D. Hagstrum, J. T. Tate—561(A)
Of O_2, J. T. Tate, H. D. Hagstrum—1071(A)

Earth's magnetic field (see also **Magnetic fields**)
Theory of terrestrial magnetism, D. R. Inglis, E. Teller —568(A), 1154
Elasticity
Adiabatic and isothermal elastic moduli of NH_4Cl, A. W. Lawson—417
Bose-Einstein fluids, L. Goldstein—241(L), 457(L)
Dispersion of supersonic waves, metal rods, S. K. Shear, A. B. Focke—532; G. S. Field—1188(L)
Elastic moduli of Cu_3Au; temperature variation, S. Siegel—358(A), 537
Fatigue in Al, R. G. Spencer, J. W. Marshall—1085(A)
Grüneisen's constant for incompressible metals, J. C. Slater—744
Hardness of rubber, L. Larrick—358(A)
Influence of electrostatic fields; Rochelle salt, H. Mueller—842(L)
Optical method for determining principal stress sum, D. Sinclair—564(A)
Plastic deformation in Pb, W. J. Lyons—66(A)
Properties of Rochelle salt, H. Mueller—829
Quartz resonators, K. S. Van Dyke, A. M. Thorndike—560(A)
Relations between elastic properties, H. Ludloff—66(A)
Shear constants of hexagonal crystals, H. B. Huntington—60(L)
Statistical theory of rubber elasticity, E. Guth—1085(A)
Temperature variation of Young's modulus, A. W. Lawson—559(A)
Thermoelastic properties, H. F. Ludloff—558(A)
Torsion elastic modulus, A. King—1083(A)
Torsional vibrations of cylinders, W. F. Brown, Jr.—558(A)
Vibrations of ionic crystals, R. H. Lyddane, R. G. Sachs, E. Teller—1084(A)
Volume changes at high pressure, P. W. Bridgman—237, 342(L); R. B. Jacobs—1084(A)
Young's modulus, single crystals of brass, J. S. Rinehart —1084(A)
Electrical circuits (see also **Methods and instruments**)
Electrical system for rapid null measurements, E. P. Bentley—1065(A)
Lock-in amplifier for a.c. measurements, W. C. Michels, N. L. Curtis—1065(A)
Nonlinear resistance elements, P. I. Wold—351(A)
Oscillations in a triode with positive grid, R. King—1065(A)
Pulse equalizing and sharpening circuit, L. J. Strohmeyer, R. D. Huntoon—1069(A)
Square wave analysis of linear amplifiers, R. D. Huntoon —1068(A)
Electrical conductivity and resistance
Acceleration of electrons in a crystal, W. V. Houston—184
Deviations from Ohm's law, E. Guth, J. Mayerhöfer—908
Discharge on liquid surfaces, L. B. Snoddy, H. F. Henry, J. W. Beams—350(A)
Electron waves in ionic crystals, A. von Hippel, J. W. Davisson—156(L)
Impulsive discharge through liquid, H. F. Henry—939(A)
And mobility of Pb films, M. G. Foster—42
Rectifying action in Cu_2O crystals, J. M. Lambert—73(A)
Theory of dielectric breakdown, F. Seitz, J. B. Sampson —558(A)
Theory of superconductors, E. Cook—67(A)
In willemite crystal, R. C. Herman, R. Hofstadter—936(L)
Electrolytes and electrolytic conduction
Electrolytic "polishing" of W, L. E. Peterson, P. A. Guarino, E. A. Coomes—1081(A)
Electromagnetic theory
Equations of motion, L. Infeld, P. R. Wallace—797
Impedance in electromagnetic field problems, J. A. Stratton, L. J. Chu—1080(A)
Magnetic forces, F. W. Warburton—350(A)
Retarded and advanced potentials, B. Podolsky, K. S. Kunz—349(A)
Space charge rotating in magnetic field, J. P. Blewett, S. Ramo—635
Electron diffraction (see also **Scattering of electrons etc.**)
Electrolytically polished surfaces, H. R. Nelson—559(A)
Intensity distribution in diffraction patterns, C. H. Ehrhardt, K. Lark-Horovitz—603
Internuclear distances in Se_2, Te_2, and HgCl, L. R. Maxwell, V. M. Mosley—21
Electrons (see also e/m)
Eigenvalue problem, Dirac electron, A. Landé—1183(L)
Relativistic mass of, M. M. Rogers, A. W. McReynolds, F. T. Rogers, Jr.—379
Electrons, scattering of (see **Scattering of electrons etc.**)
Electrons, secondary
Field-enhanced, H. Nelson—560(A)
From films of Ag on Pt, A. E. Hastings—695
High-energy secondaries in N_2, G. A. Hornbeck, E. I. Howell—1081(A)
Skin damage, G. Failla, E. H. Quimby—1055(A)
Temperature effects, D. E. Wooldridge—1080(A)
E/m
Of the positron, A. H. Spees, C. T. Zahn—72(A)
Energy states of nucleus (see **Nuclear structure**)
Errata
On Bose-Einstein fluids, the Editor—457(L)
Cosmic-ray particles at great depth, J. Barnóthy, M. Forró—552(L)
Paramagnetic relaxation times for titanium and chrome alum, J. H. Van Vleck—1052(L)

Errata (continued)
The radioactivity of Mn^{56}, R. H. Bacon, E. N. Grisewood, C. W. van der Merwe—240(L)
On the yield of nuclear reactions with heavy elements, V. F. Weisskopf, D. H. Ewing—935(L)
Errors of measurements
Probable error for Poisson distributions, E. Rodgers—735, 942(A)
Excitation of nuclei (see **Disintegration and excitation of nucleus, Nuclear structure**)

Ferromagnetism (see **Magnetic properties**)
Field theory
From W single crystals, J. H. Daniel—1079(A)
Films, properties of
Camera lenses with low reflecting films, C. H. Cartwright—358(A)
Conductivity and mobility of Pb films, M. G. Foster—42
Energy and entropy of monolayers, W. D. Harkins, T. F. Young, E. Boyd—1067(A)
Evaporated Ag films, J. Strong, B. Dibble—247(A)
Fresnel formulae and nonreflecting films, K. B. Blodgett—921
Monolayers on water, E. Boyd, W. D. Harkins—1067(A)
Refractive index and thickness, Antonin Vašiček—925
Fission of nucleus
Dynamics of fission, R. D. Present, J. K. Knipp—751(L), 1188(L)
Energy of fragments, M. H. Kanner, H. H. Barschall—372, 566(A)
Products of the U fission, R. W. Dodson, R. D. Fowler—966; E. Segrè, C. S. Wu—552(L)
Radioactive products from gases, G. N. Glasoe, J. Steigman—566(A)
Radioactive Zr and Cb from U fission, A. V. Grosse, E. T. Booth—664(L)
Of separated U isotopes, A. O. Nier, E. T. Booth, J. R. Dunning, A. V. Grosse—546(L), 748(L); K. H. Kingdon, H. C. Pollock, E. T. Booth, J. R. Dunning—749(L)
Thorium threshold, R. O. Haxby, W. E. Shoupp, W. E. Stephens, W. H. Wells, M. Goldhaber—1088(A)
Transuranic elements, L. A. Turner—157(L)
Fluorescence
Of Hg-In mixture, J. G. Winans, F. J. Davis, V. A. Leitzke—70(A)
Tetraphenylporphine and its metal salts, H. V. Knorr, V. M. Albers—347(A)

Galvanomagnetic effects
And thermomagnetic phenomena in Fe and Ni, E. H. Butler, Jr., E. M. Pugh—916
Geophysics
Laplace's equation, drainage of waterlogged land, D. Kirkham—1058(A)
Representation of geomagnetic field, A. G. McNish—1088(A)
Thermoelectric origin of earth's magnetism, D. R. Inglis, E. Teller—568(A), 1154

Hall effect
In NaCl, J. Evans—47
High voltage tubes and machines
Generator at M.I.T., D. L. Northrup, L. C. Van Atta, R. J. Van de Graaff, J. S. Clark—563(A)
Westinghouse generator, performance of, W. H. Wells, R. O. Haxby, W. E. Shoupp, W. E. Stephens—347(A)
Hydrodynamics (see also **Aerodynamics**)
Flow of air through porous media, R. R. Sullivan, K. L. Hertel—943(A)
Lubrication of plane sliders, F. Morgan, M. Muskat, D. W. Reed—357(A)
Hyperfine structure (see also **Nuclear moments and spin**)
Of Cs II, R. A. Boyd, R. A. Sawyer—1074(A)
Of Li^6, Li^7, K^{39}, and K^{41}, P. Kusch, S. Millman, I. I. Rabi—352(A), 765
Magnetic rotation, B. J. Miller—345(A)
Of quadrupole line of Hg II, S. Mrozowski—207, 253(A)
$^2P_{\frac{1}{2}}$ and $^2P_{\frac{3}{2}}$ states of Ga^{69} and Ga^{71}, N. A. Renzetti—753

Instruments (see **Methods and instruments**)
Ionization by collision (see also **Ionization potentials**)
Of B_2H_6, J. A. Hipple, Jr.—350(A)
Cross section for change of charge and ionization, C. W. Sherwin—814
Ionization loss in gases and condensed materials, E. Fermi—485
Ionization by positive ions, R. N. Varney—72(A)
Of negative atomic ions, P. F. Darby, W. H. Bennett—350(A)
Ionization potentials
Of NH_3 by electrons, M. M. Mann, A. Hustrulid, J. T. Tate—561(A)
Of methyl and ethyl alcohol, C. S. Cummings, W. Bleakney—1072(A)
Negative ion formation in I_2, R. Buchdahl—1071(A)
Of NO by electrons, H. D. Hagstrum, J. T. Tate—561(A)
Of O_2 by electrons, J. T. Tate, H. D. Hagstrum—1071(A)
Ionosphere
Actual and virtual height, H. G. Booker, S. L. Seaton—87
Reception of radio echoes, J. A. Pierce, H. R. Mimno—95
Isomers, nuclear (see **Nuclear structure** and **Radioactivity**)
Isotopes
Abundance of Mo isotopes, G. E. Valley—1058(A)
C^{10} and C^{11}, evidence, for, W. H. Barkas, E. C. Creutz, L. A. Delsasso, J. G. Fox, M. G. White—562(A)
Concentration of C^{13}, A. O. Nier—30, 358(A)
Concentration by centrifuging at low temperatures, F. C. Armistead, J. W. Beams—359(A)
Fission of U isotopes, A. O. Nier, E. T. Booth, J. R. Dunning, A. V. Grosse—546(L), 748(L); K. H. Kingdon, H. C. Pollock, E. T. Booth, J. R. Dunning—749(L)
Isotopic weight of C^{12} and substandards, J. Mattauch—1155
Masses of nuclei, Ne to Fe, E. Pollard—1186(L)
Separating by centrifuge, H. C. Pollock—935(L)
Separation by pressure diffusion, E. J. Hellund—743

Isotopes (continued)
Separation ratios from viscosity data, H. Brown—242(L)
Separation by thermal diffusion, J. Bardeen—35, 359(A); A. Bramley—359(A); L. Onsager—562(A); W. W. Watson—562(A), 899
Isomers, nuclear (see **Nuclear structure** and **Radioactivity**)

Kinetic theory of gases
Flow of air through porous media, R. R. Sullivan, K. L. Hertel—943(A)

Liquids (see also **Hydrodynamics**)
Bose-Einstein fluids, L. Goldstein—241(L), 457(L)
Lubrication, long chain polar compounds, O. Beeck, J. W. Givens, A. E. Smith—248(A)
Lubrication of plane sliders, F. Morgan, M. Muskat, D. W. Reed—357(A)
Lubrication, wear prevention, J. W. Givens, O. Beeck, E. C. Williams—247(A)
Scattering of light by liquid He, L. I. Schiff—844(L)
Luminescence
Of Ra and Ba compounds, D. H. Kabakjian—700

Magnetic fields
Magnetic resonance for nonrotating fields, F. Bloch, A. Siegert—522
Origin of earth's magnetism, D. R. Inglis, E. Teller—568(A), 1154
Photophoresis of small particles in magnetic field, F. Ehrenhaft—659(L)
Representation of geomagnetic field, A. G. McNish—1088(A)
Theory of terrestrial magnetism, D. R. Inglis, E. Teller—568(A)
Magnetic properties
Of anhydrous chlorides of iron group, C. Starr, F. Bitter, A. Kaufmann—1089(A)
Anisotropy in Fe-Ni alloys, L. W. McKeehan—246(L)
Anisotropy and itinerant electron model, H. Brooks—570(A)
Anisotropy, saturation, and superstructure in Ni_3Fe, E. M. Grabbe—728
Of cold-worked Cu containing Fe, C. S. Smith—337(L)
Of Cu with 0.7 percent Fe, A. Kaufmann, F. Bitter, S. Pan, C. Starr—569(A)
Dilemma in properties of $Gd_2(SO_4)_3 \cdot 8H_2O$, W. D. Lewis—1088(A)
Effect of current on residual magnetism, H. A. Perkins, H. D. Doolittle—71(A)
Energy of dipolar lattices, J. A. Sauer—142
Ferromagnetic relaxation constant, J. B. Hoag—71(A)
Free electron diamagnetism, F. Seitz, J. B. Sampson—1088(A)
Of Au-Fe alloys, S. T. Pan, A. R. Kaufmann, F. Bitter—569(A)
Heat treatment and ferromagnetic impurities, F. W. Constant, H. E. Lenander, R. E. Faires—1089(A)
Magnetic saturation of Ni under strain, A. R. Kaufmann—1089(A)
Of magnetite suspension, W. C. Elmore—842(L); C. W. Heaps—358(A), 528; L. W. McKeehan—1177
Modification of Heisenberg's theory, F. Bitter—569(A)
Paramagnetic relaxation, J. H. Van Vleck—426, 570(A)
Permeability of Ni, J. B. Hoag, J. L. Glathart—240(L)
Susceptibilities of Li and Na, J. B. Sampson, F. Seitz—570(A)
Susceptibilities in weak fields, W. W. Meeks, N. C. Jamison—71(A)
Susceptibility of salts of Fe group, C. Starr, F. Bitter, A. Kaufmann—569(A)
Susceptibility of water in weak fields, N. C. Jamison—1089(A)
Thermomagnetic phenomena in Fe and Ni, E. H. Butler, Jr., E. M. Pugh—916
Mechanics, quantum-atomic structure and spectra
Hydrogen wave functions, J. G. Beckerley—943(A)
Mechanics, quantum—general
Charge distribution of elementary particles, V. F. Weisskopf—1066(A)
Collisions of mesotrons, J. F. Carlson—353(A); J. R. Oppenheimer—353(A)
Degeneracy in quantum mechanics, J. M. Jauch, E. L. Hill—641
Field theories for charged particles, L. I. Schiff—903
Nuclear forces, H. A. Bethe—260, 390; R. E. Marshak—1101
Quantization of mass, B. Podolsky, H. Branson—494
Spin angular momenta, E. L. Hill—1184(L)
States of scalar and vector fields, H. Snyder, J. Weinberg—307
Stationary states of mesotron field, L. I. Schiff, H. Snyder, J. Weinberg—315
Theory of deuteron, H. A. Bethe—390
Mechanics, quantum—of solid bodies
Acceleration of electrons in a crystal, W. V. Houston—184
Deviations from Ohm's law, E. Guth, J. Mayerhöfer—908
Wave functions in crystals, C. Herring—1169
Mechanics, statistical
Bose-Einstein condensation, L. Goldstein—1066(A)
Grand canonical distributions, R. C. Tolman—1160
Spin and statistics of elementary particles, J. S. de Wet—646
Mesotrons
Absorption in air, M. Ageno, C. Bernardini, N. B. Cacciapuoti, B. Ferretti, G. C. Wick—945
Cloud-chamber photographs at 29,300 feet, G. Herzog—337(L)
Decay of, H. R. Crane, N. L. Oleson, K. T. Chao—664(L)
Disintegration by mesons, J. F. Carlson—353(A)
Disintegration of, B. Rossi, H. Van N. Hilberry, J. B. Hoag—67(A), 461 Shoichi Sakata, Yasutaka Tanikawa—548(L)
Electromagnetic self-energy, R. D. Richtmyer—413
Electrons from disintegration, B. Rossi—469
Energy losses in condensed materials, O. Halpern, H. Hall—459(L)

Mesotrons (continued)
Lifetime of, G. Cocconi—61(L); W. M. Nielsen, C. M. Ryerson, L. W. Nordheim, K. Z. Morgan—158(L); M. A. Pomerantz—3
Meson pair theory, R. E. Marshak—556(A)
Occurrence of associated mesons, T. H. Johnson, R. P. Shutt, J. G. Barry—1062(A)
Production of soft secondaries, J. R. Oppenheimer, H. Snyder, R. Serber—75
Production in stratosphere, M. Schein, W. P. Jesse, E. O. Wollan—68(A), 847
Quantum theory of collisions, J. R. Oppenheimer—353(A)
Range of, A. Migdal, J. Pomeranchuk—934(L)
Showers in cosmic radiation, W. F. G. Swann, W. E. Ramsey—1051(L), 1061(A); W. M. Powell—1061(A)
Stationary states of mesotron field, L. I. Schiff, H. Snyder, J. Weinberg—315
Stopping power of Pb and H_2O, M. A. Pomerantz, T. H. Johnson—555(A)
Theory of decay, H. A. Bethe, L. W. Nordheim—998; L. W. Nordheim, H. A. Bethe—555(A)
Theory of nuclear forces, H. A. Bethe—260
Metals (see **Crystalline state**)
Meteorology
Infra-red absorption in atmosphere, J. Strong, Kenichi Watanabe—1049(L)
Infra-red absorption by fog, J. A. Sanderson—1060(A)
Night-sky light and E layer ionization, N. E. Bradbury, W. T. Sumerlin—249(A)
Night-sky spectra, J. Kaplan—249(A)
*p*H determinations on materials in atmosphere, S. Bloomenthal, I. Deutch—1068(A)
Recombination and electron attachment in F_2 layer, F. L. Mohler—1071(A)
Methods and instruments
Aberrations of concave gratings, H. Beutler—354(A)
Absorption law for radiation, W. P. Berggren—1183(L)
Adiabatic expansion machine, R. B. Jacobs, S. C. Collins—568(A)
Air friction on centrifuge rotor, J. M. Cranford—1056(A)
Anticoincidences with G-M counters, G. Herzog—67(A)
Attainment of high pressures, R. W. Goranson, E. A. Johnson—845(L)
Automatic tuning for cyclotron, E. M. Purcell—1070(A)
Back diffusion in vapor pumps, R. Cornog—249(A)
Cathode-ray oscillographs, J. W. Flowers—560(A)
Changes at critical temperature, E. F. Mueller, E. O. Sperling, D. C. Ginnings—1056(A)
Class C radiofrequency power amplifier, S. L. Simon, P. R. Bell, R. J. Moon, L. Slotin—72(A)
Composition of vapors in cloud chamber, T. N. Gautier, A. E. Ruark—1040
Concave grating, theory of, H. Beutler—1073(A)
Counters with equalized voltage pulses, W. E. Ramsey—1061(A)
Counting protons in presence of fast neutrons, J. A. Van Allen, N. F. Ramsey, Jr.—1069(A)
Cyclotron ion source, B. R. Curtis—1070(A)
Deflection measurements by interferometry, R. Weller—251(A)
Densitometer, direct reading, C. E. Buchwald, F. S. Cooper—1059(A)
Dielectric research at high frequencies, S. Roberts, A. von Hippel—1056(A)
D.C. amplifier, W. M. Brubaker—248(A)
Distribution of so-called random events, W. Feller—906
Dynatron hysteresis, P. L. Copeland, J. M. Kubert—1065(A)
Efficiency of condensing surface, J. Slepian, W. M. Brubaker—250(A)
Electrical system for rapid null measurements, E. P. Bentley—1065(A)
E.m.f. of standard cells with D_2O, L. H. Brickwedde, G. W. Vinal—1064(A)
Electron diffraction camera, J. E. Ruedy—1073(A)
Electron microscope, W. Hurst—940(A); L. Marton—1073(A)
Electrostatic generator at M.I.T., D. L. Northrup, L. C. Van Atta, R. J. Van de Graaff, J. S. Clark—563(A); W. H. Wells, R. O. Haxby, W. E. Shoupp, W. E. Stephens—347(A)
Films on glass, low-reflecting, C. H. Cartwright—358(A), 1060(A)
Fluctuations in space-charge limited current, H. W. Berry, R. N. Varney—1063(A)
Focusing of proton beams, W. W. Buechner, E. S. Lamar—1070(A)
G-M counter improvements, H. McMaster, M. L. Pool—356(A)
G-M counters, characteristics of, S. C. Brown, A. F. Kip—1069(A); R. D. Heidenreich—1069(A); W. E. Ramsey—563(A)
G-M counters, discharge mechanism, S. C. Brown, A. F. Kip—1069(A); C. G. Montgomery, D. D. Montgomery—564(A), 1030; W. E. Ramsey—1022
High energy beta-spectra, effect of source, E. J. Konopinski—68(A)
High pressures with multiple apparatus, P. W. Bridgman—237, 342(L); R. B. Jacobs—1084(A)
High-sensitivity galvanometer, C. H. Cartwright—560(A)
Hydrogen liquefier, low cost, C. F. Squire—1058(A)
Interval selection; short decay constants, A. Roberts—1069(A)
Ion source, A. T. Finkelstein, L. P. Smith—563(A)
Ion source of capillary arc type, S. K. Allison—71(A)
Klystron resonator, E. H. Smith—1080(A)
Large cloud chamber, C. C. Jones, D. A. McGraw, T. E. Pardue, A. Ruark, K. Way—1070(A)
Linear accelerator; large currents, J. H. Manley, L. J. Haworth, E. A. Luebke, M. P. Vore—1075(A)
Linear densitometer, J. A. Tiedeman—942(A)
Lock-in amplifier for a.c. measurements, W. C. Michels, N. L. Curtis—1065(A)
Long optical absorption path, H. R. Kratz, J. E. Mack—1059(A)
Lubrication, long chain polar compounds, O. Beeck, J. W. Givens, A. E. Smith—248(A)

Methods and instruments (continued)
Lubrication, wear prevention, J. W. Givens, O. Beeck, E. C. Williams—247(A)
Mass spectrograph, separation of heavy isotopes, K. H. Kingdon, H. C. Pollock—1072(A)
Mass spectrograph with high dispersion, E. B. Jordan—1072(A)
Measurement of γ-ray energies, A. C. Helmholz—248(A)
Measurements with electrostatic analyzer, S. K. Allison, L. S. Skaggs, N. M. Smith, Jr.—550(L); J. Mattauch—549(L)
Milliammeter for radiofrequency currents, J. C. Mouzon—943(A)
Monochromator, quartz, F. S. Brackett, H. T. Wensel, J. B. H. Kuper—1059(A)
Mono-energetic slow neutrons, C. P. Baker, R. F. Bacher—351(A)
Neutron shielding, S. M. Dancoff—251(A)
Neutron velocity measurements, L. J. Haworth, J. H. Manley, M. P. Vore, E. A. Luebke—1075(A)
Ohio cyclotron, A. W. Smith, M. L. Pool—347(A)
Optical method for determining principal stress sum, D. Sinclair—564(A)
Optical rotatory power, N. Underwood, C. Beck—941(A)
Oscillations in a triode with positive grid, R. King—1065(A)
Particles of light wave-length size, measurement of, F. Ehrenhaft—562(A), 1050(L)
Photoelectric spectrophotometer, W. C. Bosch, K. D. Coleman—941(A)
Photographic reversal, O. J. Baltzer, J. E. Nafe—1048(L); J. E. Nafe, G. E. M. Jauncey—1048(L)
Positive ion and electron beams, C. M. Van Atta, R. J. Van de Graaff, L. C. Van Atta, D. L. Northrup—563(A); W. W. Buechner, E. S. Lamar—1070(A)
Power to cyclotron oscillator, A. J. Allen, R. G. Franklin—347(A)
Pressure compensator for grating spectrograph, H. Beutler, M. Fred—69(A)
Pressure measurements to 30,000 kg/cm², P. W. Bridgman—235
Probable error for Poisson distributions, E. Rodgers—735, 942(A)
Proton beams and sources, E. S. Lamar, W. W. Buechner—1070(A)
Pulse equalizing and sharpening circuit, L. J. Strohmeyer, R. D. Huntoon—1069(A)
Quartz resonators, K. S. Van Dyke, A. M. Thorndike—560
Radiofrequency spectra of atoms, P. Kusch, S. Millman, I. I. Rabi—352(A)
Radio-phosphorus in soil studies, S. S. Ballard, L. A. Dean—355(A)
Range-velocity curve for carbon, G. A. Wrenshall—1095
Refractive index and thickness of thin films, Antonin Vašiček—925
Resolving power of ultracentrifuge, J. W. Beams—940(A)
Rugged mass spectrograph, W. Bleakney, C. S. Cummings—1072(A)
Scaling circuits of arbitrary ratio, H. Lifschutz—243(L)
Separating alloys and isotopes, H. C. Pollock—935(L)
Space charge rotating in magnetic field, J. P. Blewett, S. Ramo—635
Specific heat, R. A. Weiss—942(A)
Spectral transmission in glucose glass, W. M. Cohn—355(A)
Spectrophotometer, recording, J. B. H. Kuper, F. S. Brackett—1059(A)
Square wave analysis of linear amplifiers, R. D. Huntoon—1068(A)
Square wave generator, W. E. Parkins, L. P. Smith—1081
Support for galvanometers, D. Williams—942(A)
Thermal resistors, characteristics and uses, G. L. Pearson—1065(A)
Thin absorption cells, E. S. Barr—941(A)
Time interval selector, A. Roberts—564(A)
Torsion elastic modulus, A. King—1083(A)
Tungsten light source, N. Metropolis, H. Beutler—355(A)
Ultracentrifuge motor, electric, C. Skarstrom, J. W. Beams—1057(A)
Ultracentrifuge, quantity-type rotor, A. V. Masket—1056(A)
Ultrasonic absorption, measurement of, E. C. Gregg—1053(A)
Vapors in cloud chambers, T. N. Gautier, A. Ruark—940(A)
Velocity of light, W. C. Anderson—1060(A)
Viewing of slow rotary motions, R. M. Sutton—357(A)
X-ray laboratory of National Bureau of Standards, L. S. Taylor—1056(A)
Molecular beams (see **Atomic and molecular beams**)
Molecular structure and constants (see also **Spectra, molecular and Raman spectra**)
C-H bond in methane, C. L. Bartberger—1079(A)
Comparison of strengths of hydrogen bonds, W. Gordy, S. C. Stanford—346(A)
Evidence for B_2 molecule, A. E. Douglas, G. Herzberg—752(L)
Ground state of H_2^+, nuclear motion, V. Johnson—1066(A)
Hindered rotation in methyl alcohol, J. S. Koehler, D. M. Dennison—1006
Internuclear distances in Se_2, Te_2, and HgCl, L. R. Maxwell, V. M. Mosley—21
Lifetime of excited diacetyl molecule, G. M. Almy, S. Anderson—1077(A)
Of NO_2 and HNO_3, by electron diffraction, L. R. Maxwell, V. M. Mosley—1079(A)
Self-consistent field for methane, L. A. Young—1079(A)
Water vapor molecule, B. T. Darling, D. M. Dennison—128

Necrology
Floyd Karker Richtmyer—1
Neutrons
Anomalous scattering, E. Hudspeth, H. Dunlap—971, 1075(A); M. R. MacPhail—669

Neutrons (continued)
Boltzmann equation and diffusion, E. A. Uehling, E. A. Schuchard—251(A)
Elastic scattering, R. F. Bacher—352(A); G. Placzek, H. A. Bethe—1075(A)
Formation of compound nucleus, H. A. Bethe—1125
Interaction with protons, H. B. Hanstein—1045(L)
Interference phenomena in scattering, H. G. Beyer, M. D. Whitaker—976
Magnetic moment, L. W. Alvarez, F. Bloch—352(A); O. Halpern, M. H. Johnson—160(L)
Moment in absolute nuclear magnetons, L. W. Alvarez, F. Bloch—111
Mono-energetic slow neutrons, Cd cut-off, C. P. Baker, R. F. Bacher—351(A), 1076(A)
Neutron-deuteron reaction, L. B. Borst, W. D. Harkins—659(L)
Resonance capture by U, H. L. Anderson, 566(A)
Scattering in paraffin, V. W. Cohen, H. H. Goldsmith, M. Hamermesh—352(A)
Shielding by water tanks, S. M. Dancoff—251(A)
Spectrums of *d-d* reaction, E. Hudspeth, H. Dunlap—971
Transmission through quartz crystals, M. D. Whitaker, W. C. Bright, E. J. Murphy—551(L)
From U, L. A. Turner—334(L)
Velocity measurements, L. J. Haworth, J. H. Manley, M. P. Vore, E. A. Luebke—1075(A)
Nuclear moments and spin (see also **Hyperfine structure**)
Electrical quadrupole moment of deuteron, J. M. B. Kellogg, I. I. Rabi, N. F. Ramsey, Jr., J. R. Zacharias—677; A. Nordsieck, 556(A)
Electric quadrupole moments of Ga^{69} and Ga^{71}, N. A. Renzetti, D. R. Hamilton—570(A); N. A. Renzetti, 753
Of light nuclei, M. Phillips—160(L)
Magnetic moment of neutron, L. W. Alvarez, F. Bloch—352(A)
Magnetic moment of N^{15}, J. R. Zacharias, J. M. B. Kellogg—570(A)
Magnetic resonance for nonrotating fields, F. Bloch, A. Siegert—522
Neutron moment in absolute nuclear magnetons, L. W. Alvarez, F. Bloch—111
Quadrupole moments by molecular beam, E. Teller—556(A)
Nuclear structure (see also **Disintegration of nucleus; Energy states of nucleus**)
Of A^{41}, W. L. Davidson, Jr.—244(L)
Binding energy of Li^7, K. G. Carroll—791
Coulomb force and binding energies of light nuclei, W. E. Stephens—938(L)
Coulomb law for proton, W. E. Lamb, Jr.—458(L)
Energy level from spectrum of scattered particles, T. R. Wilkins, G. Kuerti—1082(A)
Excited state of Li^7, L. S. Skaggs, E. R. Graves—1087(A)
Excited states of O^{16}, D. M. Dennison—454
Ground state in Co^{60} and As^{76}, W. L. Davidson, Jr.—568(A)
Magnetic moment of charged particle, H. Margenau—383
Masses of nuclei, Ne to Fe, E. Pollard—1186(L)
Meson theory of nuclear forces, H. A. Bethe—260, 390
Note on isomerism, R. G. Sachs—194
System of units, B. Rossi—660(L)
Theory of deuteron, H. A. Bethe—390
Treatment of compound nucleus, H. A. Bethe—567(A), 1125

Optical constants and properties
Of crystalline nickel sulphate, L. R. Ingersoll, P. Rudnick, F. G. Slack, N. Underwood—1145
Dichroism in crystalline nickel sulphate, L. R. Ingersoll, P. Rudnick—70(A)
Dispersion and absorption in amino-acids, J. B. Bateman, G. Potapenko—1185(L)
Evaporated Ag films, J. Strong, B. Dibble—247(A)
Films on glass, low-reflecting, C. H. Cartwright—1060(A)
Fresnel formulae and nonreflecting films, K. B. Blodgett—921
Index of refraction of CH_4, R. Rollefson, R. Havens—710
Of magnetite suspension, W. C. Elmore—842(L); C. W. Heaps—358(A), 528; L. W. McKeehan—1177
Of Na and Ba, R. J. Maurer—653
Of quartz for exterme ultraviolet, R. Tousey—1060(A)
Optical instruments (see **Methods and instruments**)
Optical theory
Concave grating, theory of, H. Beutler—1073(A)
Theory of light, P. Fireman—1060(A)

Paschen-Back effect
Coupling in W I from Paschen-Back effect, J. H. Roberson, J. E. Mack—1074(A)
Phosphorescence
Excitation by cathode rays, U. Fano—564(A)
Photoconductivity
In NaCl, J. Evans—47
Of NaCl in ultraviolet, J. N. Ferguson—1089(A)
In zinc silicates, A. G. Hill, L. R. Aronin—1090(A)
Photoelectric effect and properties; cells
In semi-conductors, R. J. Cashman—1090(A)
Sensitization by electric discharges in deuterium oxide, J. T. Tykociner, L. R. Bloom—571(A)
Sensitization of surfaces by electric discharges, J. T. Tykociner, J. Kunz, L. P. Garner—565(A)
Of Na and Ba, R. J. Maurer—653
Time-lag in Townsend discharge, R. W. Engstrom—73(A)
Photography
Densitometer, direct reading, C. E. Buchwald, F. S. Cooper—1059(A)
Reversal with x-rays, O. J. Baltzer, J. E. Nafe—1048(L)
Piezoelectric effect
Constants of heavy-water Rochelle salt, A. N. Holden, W. P. Mason—54
Positron
Value of c/m, A. H. Spees, C. T. Zahn—72(A)

Probability of ionization (see **Ionization potentials**)

Radiation (see **Thermal radiation**)
Radio (see also **Ionosphere**)
Diffraction by hills, W. R. Haseltine—253(A), 717
Origin of radio fade-outs, W. M. Preston—887
Reception of echoes, J. A. Pierce, H. R. Mimno—95
Radioactivity (see also **Disintegration of nucleus**)
Absolute β-ray standards, J. W. Irvine, Jr., R. D. Evans—1083(A)
Absorption endpoints β-rays, B. L. Moore—355(A)
Activation of In by α-particles, J. R. Risser, K. Lark-Horovitz, R. N. Smith—355(A)
Of A^{41}, W. L. Davidson, Jr.—244(L)
Artificial alpha-particle emitters, D. R. Corson, K. R. MacKenzie—250(A)
Beta-rays in forbidden transitions, energy distribution, E. J. Konopinski, G. E. Uhlenbeck—1082(A)
β- and γ-ray coincidences from Sb^{122} and Sb^{124}, A. C. G. Mitchell, L. M. Langer, P. W. McDaniel—347(A)
Bremsstrahlung of RaE, E. Stahel, J. Guillissen—341(L)
Of C^{10} and C^{11}, W. H. Barkas, E. C. Creutz, L. A. Delsasso, J. G. Fox, M. G. White—562(A)
Of C^{14}, S. Ruben, M. D. Kamen—549(L)
Chemical properties of element 85, E. Segrè, K. R. MacKenzie, D. R. Corson—1087(A)
Of Cr, Toshio Amaki, Takeo Iimori, Asao Sugimoto—751(L)
Coincidences in As^{76}, L. M. Langer, A. C. G. Mitchell, P. W. McDaniel—347(A)
Of element 93, E. McMillan and P. H. Abelson—1185(L)
Energy and half-life of Be^{10}, E. Pollard—241(L)
Energy spectra of In, J. L. Lawson, J. M. Cork—356(A)
Of F^{18}, W. L. Davidson, Jr.—1086(A)
γ-radiation from N, E. R. Gaerttner, L. A. Pardue—386
γ-rays from Be and N, H. R. Crane, J. Halpern, N. L. Oleson—13
γ-ray energies, A. C. Helmholz—248(A)
γ-rays from In^{116}, B. R. Curtis, J. R. Richardson—1121
High energy beta-spectra, effect of some, E. J. Konopinski—68(A)
Of In, α-particles on Ag, L. D. P. King, W. J. Henderson—71(A)
Induced in I and Be by protons, W. H. Barkas, E. C. Creutz, L. A. Delsasso, R. A. Sutton—1087(A)
Internal conversion, E. Nelson—252(A); R. G. Sachs—159(L)
Isomeric Ag and Weizsäcker theory, L. W. Alvarez, A. C. Helmholz, E. Nelson—660(L)
Isomerism in Se and Kr, A. Langsdorf, Jr., E. Segrè—105
Of isotope of element 85, D. R. Corson, K. R. MacKenzie, E. Segrè—459(L), 1087(A)
Isotopes of Ca, H. Walke, F. C. Thompson, J. Holt—177
Isotopes of In, J. L. Lawson, J. M. Cork—982
Isotopes of I and Xe, R. W. Dodson, R. D. Fowler—966
Isotopes of Rb, J. O. Hancock, J. C. Butler—1088(A)
Isotopes of Sc, H. Walke—163
K-electron capture in Cr^{51}, H. Walke, F. C. Thompson, J. Holt—171
Of $_{43}Ma^{101}$, R. Sagane, S. Kojima, G. Miyamoto, M. Ikawa—750(L)
Matrix element in Fermi's theory of β-decay, R. D. Evans—1082(A)
Missing heavy nuclei, L. A. Turner—157(L), 950
In Ne and Al by H^1, E. C. Creutz, J. G. Fox, R. Sutton—567(A)
Of Ne^{23}, mass and beta-ray energies, W. W. Watson, E. Pollard—1082(A)
Positrons from Si^{27}, R. L. McCreary, G. Kuerti, S. N. VanVoorhis—351(A)
Prediction of half-lives, G. Dickson, P. W. McDaniel, E. J. Konopinski—351(A)
Production of Cl^{33}, J. B. Hoag—937(L)
Radiations from Sb and As, A. C. G. Mitchell, L. M. Langer, P. W. McDaniel—1107
Radioactive hydrogen, R. D. O'Neal, M. Goldhaber—1086(A); L. W. Alvarez, R. Cornog—248(A)
Radioactive recoil atoms, H. W. Newson, L. B. Borst—1083(A)
Radioactive standards, L. F. Curtiss, C. Goodman, A. F. Kovarik, S. C. Lind, C. S. Piggot, R. D. Evans—457(L); C. Goodman, R. D. Evans—557(A)
Radioactive Zr and Cb from U fission, A. V. Grosse, E. T. Booth—664(L)
Ra B β-rays, masses and velocities, M. M. Rogers, A. W. McReynolds, F. T. Rogers, Jr.—379
Radium E and radium F from Bi, J. M. Cork, J. Halpern, H. Tatel—348(A), 371
Separated isotopes; 37-minute Cl^{38}, J. W. Kennedy, G. T. Seaborg—843(L)
Of separated Ne isotopes, E. Pollard, W. W. Watson—567(A)
Shape of "allowed" beta-ray spectra, J. L. Lawson—1082(A)
In soil studies, S. S. Ballard, L. A. Dean—355(A)
Of Sr, Y and Zr, L. A. DuBridge, J. Marshall—348(A)
System of units, B. Rossi—660(L)
Of Te isotopes, G. T. Seaborg, J. J. Livingood, J. W. Kennedy—363
Theory of β-decay, R. E. Marshak, H. A. Bethe—69(A)
Transuranic elements, L. A. Turner—157(L)
Of W isotopes, O. Minakawa—1189(L)
Of U, induced by neutrons, Y. Nishina, T. Yasaki, H. Ezoe, K. Kimura, M. Ikawa—1182(L)
Use of isotopes as indicators, G. Hevesy—240(L)
Of Zr and Mo, R. Sagane, S. Kojima, G. Miyamoto, M. Ikawa—1179(L)
Raman spectra
Of acetylenes, F. F. Cleveland, M. J. Murray—565(A)
Of aqueous solutions of sucrose, F. F. Cleveland—1078(A)
Depolarization factors, derivatives of phenylacetylene, F. F. Cleveland, M. J. Murray—70(A)
Of formic acid vapor, L. G. Bonner, J. S. Kirby-Smith—1078(A)

Recombination
Of atomic hydrogen; spectrographic measurement, W. M. Preston—1074(A)
In F_2 layer, F. L. Mohler—1071(A)
Of ions from gas flames, G. R. Wait, O. W. Torreson—1071(A)
Relativity
Energy of particles without spin, H. Snyder, J. Weinberg—251(A)
Equations of motion in electrodynamics, L. Infeld, P. R. Wallace—797
Equations for particles of spin zero, A. H. Taub—807
Ether-drift experiments, N. Rosen—154
General relativity and flat space, N. Rosen—147, 150
Spinor wave equations, L. I. Schiff—250(A)
Resonance radiation
Polarization of, B. J. Miller—345(A)
Production of, C. G. Found, E. F. Hennelly—560(A)

Scattering of atoms and molecules (see also **Atomic and molecular beams**)
Of Li in He and A, P. Rosenberg—561(A)
Range-velocity curve for carbon, G. A. Wrenshall—1095
Scattering of electrons, neutrons, and ions (see also **Electrons, scattering of; Electron diffraction**)
Angular distribution of slow neutrons, M. D. Whitaker, W. C. Bright—1076(A)
Anomalous scattering of neutrons, E. Hudspeth, H. Dunlap—1075(A); M. R. MacPhail—669
Bragg reflection of neutrons, G. J. Thiessen—1076(A)
Close electron-electron collisions, J. S. Brock—1063(A)
Collisions of α-particles with Cl nuclei, W. Hansen, G. A. Wrenshall—750(L)
Effect of shielding, J. H. Bartlett, Jr., T. A. Welton—1063(A)
Elastic scattering of neutrons, G. Placzek, H. A. Bethe—1075(A); R. F. Bacher—352(A)
Electron scattering in Br, C. H. Shaw, T. M. Snyder—1085(A)
Electron scattering by nuclei, E. Guth—349(A)
Of electrons by metallic foils, J. L. Saunderson, O. S. Duffendack—68(A)
Energy loss of electrons in C, H. R. Crane, N. L. Oleson, K. T. Chao—555(A), 664(L)
Energy losses in condensed materials, O. Halpern, H. Hall—459(L)
Of fast electrons, J. A. Wheeler—352(A)
Of In resonance neutrons, H. B. Hanstein, J. R. Dunning—565(A)
Interaction between α-particles, H. Margenau—568(A)
Interference phenomena in scattering of neutrons, H. G. Beyer, M. D. Whitaker—976
Multiple scattering of electrons, S. Goudsmit, J. L. Saunderson—24, 73(A), 552(L); A. E. Ruark—62(L); C. W. Sheppard, W. A. Fowler—273; M. E. Rose—556(A); J. H. Bartlett, Jr.—843(L); N. L. Oleson, K. T. Chao, H. R. Crane—1063(A)
Neutron collision cross sections of C and H, E. O. Salant, N. Ramsey—1075(A)
Neutron-deuteron scattering, L. Motz, J. Schwinger—161(L)
Neutron-proton interaction, H. B. Hanstein—1045(L)
Neutron scattering and compound nucleus, H. A. Bethe—1125
Of neutrons in He, H. Staub, H. Tatel—936(L)
Of neutrons by molecules, R. G. Sachs, E. Teller—1076(A)
Of neutrons in paraffin, V. W. Cohen, H. H. Goldsmith, M. Hamermesh—352(A)
Neutrons scattered by He, E. Hudspeth, H. Dunlap—971, 1187(L)
Neutron transmission in Fe-Ni alloys, F. C. Nix, H. G. Beyer, J. R. Dunning—566(A)
Oppenheimer-Phillips process, G. M. Volkoff—252(A), 866
Polarization of electrons, M. E. Rose—280, 349(A); L. Landau—548(L)
Of K ions from A, R. N. Varney, G. E. M. Jauncey—1084(A)
Proton-proton interactions, H. M. Thaxton, A. M. Monroe—246(L)
Protons by He, N. P. Heydenburg, N. F. Ramsey—1077(A)
P-wave anomalies in H-H scattering, G. Breit, C. Kittel, H. M. Thaxton—255
Relativistic corrections to scattering, L. E. Hoisington—1077(A)
Resonance scattering of α-particles, H. E. Rose—958
Of 6.7-Mev protons by Al, G. Kuerti, T. R. Wilkins—1081(A)
Scattering of radiation (see also **Raman spectra**)
Internal scattering of γ-rays, E. P. Cooper, P. Morrison—249(A), 862
By liquid He, L. I. Schiff—844(L)
Secondary electrons (see **Electrons, secondary**)
Spark discharge (see **Discharge of electricity, etc.**)
Specific heat
By a new method, R. A. Weiss—942(A)
Of Ni-Cu and Ni-Fe alloys, W. H. Keesom, B. Kurrelmeyer—1068(A)
Spectra, absorption (see also **Absorption**)
Of ammonium halides, D. Williams—565(A)
Of benzene vapor, H. Sponer, G. Nordheim, E. Teller—942(A)
Of cystine and deuterium cystine, C. M. Herget, J. D. Hardy—1078(A)
Of deutero-acetylenes, A. H. Nielsen—346(A)
Of diatomic halides, C. A. Fowler, Jr., F. A. Jenkins—247(A)
Fundamental vibration band of formic acid, L. G. Smith, V. Williams—1078(A)
Of HgIn and HgTl, J. G. Winans, F. J. Davis, V. A. Leitzke—1079(A)
Of methyl alcohol, D. R. McMillan, Jr.—941(A)
Of methylphenylacetylene, F. F. Cleveland, M. J. Murray—346(A)
Of microscopic structures, P. A. Cole, F. S. Brackett—1060(A)

Spectra, absorption (continued)
Of monochlorobenzene, H. Sponer, S. H. Wollman—1078(A)
Of N_2, ultraviolet, F. A. Jenkins, R. E. Worley—252(A)
Of KOCN, D. Williams—1077(A)
Rotation in methyl alcohol, J. S. Koehler, D. M. Dennison—70(A), 1006
Of single-crystal ZnS phosphors, C. J. Brasefield—162(L)
Of SO_2, N. Metropolis, H. Beutler—1078(A)
Of tetraphenylporphine and its metal salts, V. M. Albers, H. V. Knorr—346(A)
Spectra, atomic
Of Ce II, W. E. Albertson, G. R. Harrison—1073(A)
Of Cl VI, K VIII, Ca IX, and Sc X, W. L. Parker, L. W. Phillips—140
Of Cb V and Cb VII, G. W. Charles, F. W. Paul—345(A)
Coupling in W I from Paschen-Back effect, J. H. Roberson, J. E. Mack—1074(A)
Of elements in ultraviolet, J. C. Boyce, L. Misch—1073(A)
Levels in solid chrome alum, R. Finkelstein, J. H. Van Vleck—557(A)
Night-sky spectra, J. Kaplan—249(A)
Quadrupole and magnetic-dipole transitions, G. H. Shortley—225
Self-consistent field for Mg III, W. J. Yost—557(A)
Of Ag, E. Rasmussen—243(L), 840; A. G. Shenstone—894
Spectra, general
Spectrographic determination of vitamin A, M. E. Nelson, S. S. Ballard—253(A)
Spectra, molecular (see also **Molecular structure and constants**)
Of Sb Cl, W. F. C. Ferguson, I. Hudes—705
Intensity of Cameron bands of CO, G. E. Hansche—289
Interval relations and relative intensities in halogen molecule spectra, R. S. Mulliken—500
Isotopic shifts in band spectra, S. Mrozowski—253(A)
Of Pb H and Sn H, W. W. Watson, R. Simon—708
Of Hg-In mixture, J. G. Winans, F. J. Davis, V. A. Leitzke—70(A)
$^1\Sigma \rightarrow {}^1\Sigma$ transition of C_2, O. G. Landsverk—70(A)
Vibration-rotation bands of H_2O vapor, H. H. Nielsen—346(A)
Spectra, X-ray (see **X-rays, spectra**)
Spectroscopy, technique
High stages of ionization, excitation of, H. D. Polster, F. W. Paul—345(A)
Pressure compensator for grating spectrograph, H. Beutler, M. Fred—69(A)
Statistical mechanics (see **Mechanics, statistical**)

Thermal conductivity
Of metals, C. C. Bidwell—1068(A)
Thermal diffusion
Approach to equilibrium, J. Bardeen—35
Concentration of C^{13}, A. O. Nier—30, 358(A)
Diffusion constant from viscosity data, C. R. Jones, W. H. Furry—547(L)
Elementary derivation, S. P. Frankel—661(L)
Of Ne, variation with temperature, A. O. Nier—338(L)
Separation of isotopes, A. Bramley—359(A); L. Onsager—562(A); W. W. Watson—562(A), 899
Theory, cylindrical case, W. H. Furry, R. C. Jones—561(A)
Thermal expansion
Of NH_4Cl, A. W. Lawson—417
X-ray and optical determinations, J. B. Austin, H. Saini, J. Weigle, R. H. H. Pierce, Jr.—931
Thermal radiation
From earth, C. M. Heck—943(A)
Thermionic emission of electrons; Emitting surfaces
Deviations from Schottky Line, W. B. Nottingham—935(L), 1080(A); C. J. Mullin, E. Guth—349(A)
Of W as function of crystallographic direction, M. H. Nichols—297
Thermionic emission of positive ions
From Ni, G. A. Jarvis—335(L)
Thermodynamics
Boltzmann's law from Bohr's frequency condition, A. E. Haas—67(A)
Matter-radiation gas mixtures, R. M. Whitmer—66(A), 516

Van der Waals forces
Interaction of metals and molecules, E. J. R. Prosen, R. G. Sachs, E. Teller—1066(A)
At surface of metals, W. G. Pollard, H. Margenau—557(A)
Van der Waals energies, calculation of, J. Bardeen—1066(A)
Vapor pressure
Of Bi between 603° and 638°C, A. H. Weber—357(A); A. H. Weber, S. C. Kirsch—1042
Viscosity
Of glass, W. B. Pietenpol, D. E. Billings—357(A)

X-rays, absorption
Fine structure in absorption limits of Br and Cl, T. M. Snyder, C. H. Shaw—881
K edges of Kr (36) and Br (35), C. H. Shaw, T. M. Snyder—353(A); C. H. Shaw—877
L absorption of Na and its halides, H. M. O'Bryan—557(A), 995
X-rays, diffraction, scattering, reflection, refraction and polarization
Calcite diffraction patterns, L. T. Pockman—353(A)
Compton line profiles, chemical binding, B. L. Hicks—665(L)
Diffraction in cellosolves, T. D. Carr, A. A. Bless—940(A)
Diffraction maxima from tobacco mosaic virus, I. Fankuchen—354(A)
Diffraction patterns; comparisons, N. S. Gingrich, R. Q. Gregg—1055(A)
Dispersion in Cu crystals, E. M. McNatt—621

X-rays, diffraction, scattering, reflection, refraction and polarization (continued)
Effect of valence electrons and electron cloud, V. A. Johnson—613
Intensity distribution in diffraction patterns, C. H. Ehrhardt, K. Lark-Horovitz—603
By liquid argon, A. Eisenstein, N. S. Gingrich—1054(A)
New general effect in diffraction, W. H. Zachariasen—66(A); S. S. Siegel, W. H. Zachariasen—66(A), 795
Scattering from layer silicate lattices, S. B. Hendricks—448
Theoretical study of diffuse scattering, W. H. Zachariasen—597
By various elements in liquid state, C. Gamertsfelder—1055(A)
X-rays, emission (see also **X-rays, spectra and spectroscopy, etc.**)
Auger effect and line widths, J. N. Cooper—1055(A)
Double ionization by Auger effect, satellite of Ma_1 line, F. R. Hirsh, Jr.—662(L)
Fine structure of Cu, S. T. Stephenson—353(A)
$K\beta_{2,5}$ emission lines of Zn-Ni alloys, W. W. Beeman, J. A. Bearden—1085(A)
$K\beta_{2,5}$ lines of Cu and Zn in brasses, H. Friedman, J. A. Bearden—1085(A)
L emission of Al, D. H. Tomboulian, W. M. Cady—1055(A)
$L\alpha$ satellite lines for Mo(42) to Ba(56), C. A. Randall, L. G. Parratt—786
Processes involving *3d* and *4s* bands of Cu and Ni, H. Friedman, W. W. Beeman—354(A)
Transitions involving conduction bands of W and Pt, T. M. Snyder, J. A. Bearden—1085(A)
X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Differences among calcite crystals, J. B. Austin, H. Saini, J. Weigle, R. H. H. Pierce, Jr.—931
X-rays, tubes, apparatus
X-ray laboratory of National Bureau of Standards, L. S. Taylor—1056(A)

Zeeman effect
In complex spectra, G. R. Harrison, F. Bitter—15
Ground state of Li^6, Li^7, K^{39} and E^{41}, P. Kusch, S. Millman, I. I. Rabi—765
In Kr, J. B. Green, D. W. Bowman, E. H. Hurlburt—345(A)
In RhI, J. P. Molnar, W. J. Hitchcock—564(A)
Of Ru I and Ru II, G. R. Harrison, J. R. McNally, Jr.—1074(A)